

US00D512370S

(12) **United States Design Patent** (10) **Patent No.:** **US D512,370 S**
Pang (45) **Date of Patent:** **** Dec. 6, 2005**

(54) **TIRE TREAD**

Sumitomo ST901, p. 141, Tread Design Guide, 2003.

(75) Inventor: **Peter S. Pang**, Greer, SC (US)

Continental HDL, p. 112, Tread Design Guide, 2003.

(73) Assignee: **Michelin Recherche et Technique**,
Grange-Paccot (CH)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Robert M. Spear

(21) Appl. No.: **29/179,280**

(74) *Attorney, Agent, or Firm*—Robert R. Reed; Alan A. Csontos; E. Martin Remick

(22) Filed: **Apr. 8, 2003**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/579**

(58) **Field of Search** D12/512, 544,
D12/545, 577, 579, 580; 152/209.1, 209.9,
209.12, 209.28

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D393,236 S	4/1998	Rowe		D12/147	
D397,655 S	*	9/1998	Takada		D12/579
D447,447 S	*	9/2001	Guspodin et al.		D12/579
D460,409 S		7/2002	Weaver et al.		D12/605

OTHER PUBLICATIONS


Toyo M610Z & M610ZL Tire, 2002 Tread Design Guide, Jan. 2002, p. 148. 4/1.*

Yokohama RB41 Tire, 2002 Tread Design Guide, Jan. 2002, p. 172. 3/2.*

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, and that the broken line illustrates the location of a sidewall and bead, but forms no part of the claimed design; and,

FIG. 2 is an enlarged fragmentary plan view of the tire tread illustrated in FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2