



US00D512697S

(12) **United States Design Patent**  
**Enns et al.**

(10) **Patent No.:** **US D512,697 S**

(45) **Date of Patent:** **\*\* Dec. 13, 2005**

(54) **HOUSING FOR ELECTRONIC DEVICE**

6,089,392 A \* 7/2000 Daoud ..... 220/4.02  
D448,733 S \* 10/2001 Smith ..... D13/152

(75) Inventors: **Frederick Enns**, Menlo Park, CA (US);  
**Luc Roy**, Hanmer (CA); **William R. Jones, III**, San Francisco, CA (US)

\* cited by examiner

*Primary Examiner*—Stella Reid  
*Assistant Examiner*—Selina Sikder

(73) Assignee: **Extreme Networks**, Santa Clara, CA (US)

(74) *Attorney, Agent, or Firm*—Blakely, Sokoloff, Taylor & Zafman, LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a housing for electronic device, as shown.

(21) Appl. No.: **29/195,264**

(22) Filed: **Dec. 8, 2003**

**DESCRIPTION**

(51) **LOC (6) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/184**

(58) **Field of Search** ..... D13/184, 152;  
D14/240; 174/50, 52.1, 65 R; 361/600,  
601, 679, 724, 796



FIG. 1 is a top plan view of the housing.  
FIG. 2 is a front elevation view of the housing.  
FIG. 3 is a bottom plan view of the housing.  
FIG. 4 is a rear elevation view of the housing.  
FIG. 5 is a side elevation view of the housing.  
FIG. 6 is an opposing side elevation view of the housing.  
FIG. 7 is a first perspective view of the housing.  
FIG. 8 is top and rear perspective view of the housing; and,  
FIG. 9 is a top and front perspective view of the housing.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D401,568 S \* 11/1998 Alden et al. .... D13/184  
5,959,250 A \* 9/1999 Daoud ..... 174/65 R

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4



**FIG. 5**



**FIG. 6**




FIG. 7





FIG. 8



**FIG. 9**