



US00D512743S

(12) **United States Design Patent** (10) **Patent No.:** **US D512,743 S**
Killinger et al. (45) **Date of Patent:** **** *Dec. 13, 2005**

(54) **HOLDER**

(75) Inventors: **Timothy D. Killinger**, Plainfield, IL (US); **Matthew G. Lerch**, Chicago, IL (US); **Aaron W. Smith**, Plainfield, IL (US); **Giberto Cavada, Jr.**, Melrose Park, IL (US); **Melanie Lyn Conklin**, Chicago, IL (US)

(73) Assignee: **Rubbermaid Incorporated**, Fairlaw, OH (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/212,026**

(22) Filed: **Aug. 25, 2004**

Related U.S. Application Data

(63) Continuation of application No. 29/202,743, filed on Apr. 2, 2004, now Pat. No. Des. 504,467.

(51) **LOC (6) Cl.** **19-02**

(52) **U.S. Cl.** **D19/90**

(58) **Field of Search** D19/65, 75, 78, D19/86, 90, 91, 95, 99, 100; D6/475; 211/10, 11, 13.1, 50, 113, 184; 229/178-182, 191, 198, 198.3; 206/425; 312/348.1; D9/432, 433

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,396,910 A	*	11/1921	Annable	211/42
1,598,467 A	*	8/1926	Weeks	211/43
D231,137 S	*	4/1974	Juhlin	D19/90
3,934,724 A		1/1976	Johnson	206/507
4,102,453 A		7/1978	Carroll et al.	206/507
4,238,032 A		12/1980	Thurman	206/507

4,320,837 A		3/1982	Carroll et al.	206/505
D310,925 S		10/1990	Mervar et al.	D6/567
D314,215 S		1/1991	Hawes, Jr. et al.	D19/90
5,036,988 A	*	8/1991	Rouire	211/42
D335,996 S		6/1993	Evenson	D6/553
D381,691 S	*	7/1997	Miyake	D19/90
D385,921 S	*	11/1997	Tisbo	D19/90
D390,606 S	*	2/1998	Cheris et al.	D19/90
D393,005 S		3/1998	Devito	D19/92
D400,926 S		11/1998	Stravitz	D19/90
D420,051 S		2/2000	Conley et al.	D19/90
D444,816 S		7/2001	Stravitz	D19/90
6,352,162 B1	*	3/2002	Yang et al.	211/43
D468,352 S	*	1/2003	Chen	D19/34.1
D498,263 S	*	11/2004	Goodman et al.	D19/90

* cited by examiner

Primary Examiner—Jeffrey Asch

Assistant Examiner—Elizabeth Albert

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for a “holder,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a holder showing our new design;

FIG. 2 is a front elevational view of the holder of FIG. 1;

FIG. 3 is a top plan view of the holder of FIG. 1;

FIG. 4 is a left side elevational view of the holder of FIG. 1, the right side elevational view being a mirror image thereof;


FIG. 5 is a bottom plan view of the holder of FIG. 1;

FIG. 6 is a rear elevational view of the holder of FIG. 1; and,

FIG. 7 is another perspective view showing our new design.

The dashed lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3





FIG. 4

FIG. 5






FIG. 6

FIG. 7

