



US00D513264S

(12) **United States Design Patent**  
**Hayashi**

(10) **Patent No.:** **US D513,264 S**  
(45) **Date of Patent:** **\*\* Dec. 27, 2005**

(54) **ROTOR OF A ROTARY DAMPER**  
(75) Inventor: **Ken Hayashi**, Aichi-ken (JP)  
(73) Assignee: **Nifco Inc.**, Yokohama (JP)  
(\*\*) Term: **14 Years**

5,839,548 A \* 11/1998 Parker et al. .... 188/82.1  
D479,242 S \* 9/2003 Kurachi et al. .... D14/483  
D486,833 S \* 2/2004 Koizumi et al. .... D14/483  
6,868,815 B2 \* 3/2005 Carden ..... 123/192.2

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh  
(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(21) Appl. No.: **29/208,537**  
(22) Filed: **Jul. 1, 2004**

(57) **CLAIM**

The ornamental design for a rotor of a rotary damper, as shown and described.

(30) **Foreign Application Priority Data**  
Jan. 16, 2004 (JP) ..... 2004-000858

**DESCRIPTION**


(51) **LOC (6) Cl.** ..... **14-99**  
(52) **U.S. Cl.** ..... **D14/483**  
(58) **Field of Search** ..... D14/474-483,  
D14/496, 299; D8/499, 323; 360/220, 221.1,  
230, 137; 475/92; 188/290, 262, 371, 378;  
74/572, 574; D15/147, 199, 143

FIG. 1 is a perspective view of a rotor of a rotary damper showing my new design;  
FIG. 2 is a front view thereof, a rear view being the same as the front view;  
FIG. 3 is a right side view thereof, a left side view being the same as the right side view;  
FIG. 4 is a plan view thereof;  
FIG. 5 is a bottom view thereof; and,  
FIG. 6 is a sectional view taken along line 6—6 in FIG. 4. The broken lines are for illustrative purpose only and form no part of the claimed design.

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**

D223,842 S \* 6/1972 Kughta et al. .... D21/516  
5,211,267 A \* 5/1993 Clark ..... 188/276  
5,277,282 A \* 1/1994 Umemura ..... 188/290

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6