



US00D513264S

(12) **United States Design Patent**
Hayashi

(10) **Patent No.:** **US D513,264 S**
(45) **Date of Patent:** **** Dec. 27, 2005**

(54) **ROTOR OF A ROTARY DAMPER**
(75) Inventor: **Ken Hayashi**, Aichi-ken (JP)
(73) Assignee: **Nifco Inc.**, Yokohama (JP)
(**) Term: **14 Years**

5,839,548 A * 11/1998 Parker et al. 188/82.1
D479,242 S * 9/2003 Kurachi et al. D14/483
D486,833 S * 2/2004 Koizumi et al. D14/483
6,868,815 B2 * 3/2005 Carden 123/192.2

* cited by examiner

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(21) Appl. No.: **29/208,537**
(22) Filed: **Jul. 1, 2004**

(57) **CLAIM**

The ornamental design for a rotor of a rotary damper, as shown and described.

(30) **Foreign Application Priority Data**
Jan. 16, 2004 (JP) 2004-000858

DESCRIPTION


(51) **LOC (6) Cl.** **14-99**
(52) **U.S. Cl.** **D14/483**
(58) **Field of Search** D14/474–483,
D14/496, 299; D8/499, 323; 360/220, 221.1,
230, 137; 475/92; 188/290, 262, 371, 378;
74/572, 574; D15/147, 199, 143

FIG. 1 is a perspective view of a rotor of a rotary damper showing my new design;
FIG. 2 is a front view thereof, a rear view being the same as the front view;
FIG. 3 is a right side view thereof, a left side view being the same as the right side view;
FIG. 4 is a plan view thereof;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a sectional view taken along line 6—6 in FIG. 4. The broken lines are for illustrative purpose only and form no part of the claimed design.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D223,842 S * 6/1972 Kughta et al. D21/516
5,211,267 A * 5/1993 Clark 188/276
5,277,282 A * 1/1994 Umemura 188/290

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6