

(12) **United States Design Patent** (10) **Patent No.: US D513,363 S**
Swartz et al. (45) **Date of Patent: ** Jan. 3, 2006**

(54) **ONE BOTTLE TOTE APPARATUS**
(75) Inventors: **John Roscoe Swartz**, Ridgewood, NJ
(US); **Aaron Lown**, Tuxedo, NY (US)
(73) Assignee: **Built NY, Inc.**, New York, NY (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/220,929**
(22) Filed: **Jan. 8, 2005**
(51) **LOC (8) Cl. 09-01**
(52) **U.S. Cl. D3/202**
(58) **Field of Classification Search D3/201,**
D3/219, 220, 226, 229, 232, 202, 246, 303,
D3/316; D9/702-705, 710, 711, 751, 753,
D9/754, 444, 445; 206/139, 428, 433; 220/509,
220/515; 383/10, 38, 127
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

665,942 A	1/1901	Tabler	
1,808,375 A	6/1931	Plooster	
1,983,418 A	12/1934	Thurmer	
2,123,031 A	7/1938	Weiner	
2,297,375 A	9/1942	Vogt	
D140,347 S	* 2/1945	Green	D3/220
3,559,873 A	2/1971	Hart	
4,062,392 A	12/1977	Ishii	
4,180,111 A	12/1979	Davis	
4,197,890 A	4/1980	Simko	
D266,048 S	9/1982	Zillis	
4,428,484 A	1/1984	Rattay et al.	
D289,128 S	4/1987	Bradshaw	
4,681,225 A	7/1987	Schuster	
4,696,403 A	9/1987	Hoover	
D292,879 S	* 11/1987	Smith	D9/753
4,750,639 A	6/1988	Schaerer	
4,872,766 A	10/1989	Dancy	
4,884,683 A	12/1989	Ford	
4,955,516 A	9/1990	Satterfield	
4,984,662 A	1/1991	Jacober	
5,050,998 A	9/1991	Wachtel	

5,090,526 A	2/1992	Jacober	
5,110,020 A	5/1992	Uhl	
D344,413 S	* 2/1994	Bedrosian et al.	D3/202
D357,845 S	5/1995	Herszenberg	
D365,441 S	* 12/1995	Drake et al.	D3/205
5,503,476 A	4/1996	Hamdan	
5,624,048 A	* 4/1997	Sander et al.	215/395
D379,119 S	5/1997	Wolfe et al.	
D409,450 S	5/1999	Hamilton	
D414,083 S	9/1999	Hamilton	
6,062,434 A	5/2000	Melk	
6,068,402 A	5/2000	Freese et al.	
6,131,780 A	10/2000	Becker	
D433,802 S	11/2000	Graham	

(Continued)

Primary Examiner—Louis S. Zarfas
Assistant Examiner—John Windmuller
(74) *Attorney, Agent, or Firm*—Lackebach Siegel, LLP


(57) **CLAIM**

The ornamental design for a one bottle tote apparatus, as shown and described.

DESCRIPTION

The present invention is a design for a product enabling bottle transport.
FIG. 1 is a front elevational view of a one bottle tote apparatus showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof, the left side elevational view being identical;
FIG. 6 is a perspective view thereof with a bottle inserted;
FIG. 7 is a front elevational view thereof;
FIG. 8 is a top plan view thereof;
FIG. 9 is a bottom plan view thereof; and,
FIG. 10 is a right side elevational view thereof, the left side elevational view being identical.
The broken line showing of stitching is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



Page 2

U.S. PATENT DOCUMENTS				2001/0031104	A1	10/2001	Vazquez		
				2002/0166779	A1	11/2002	Etesse et al.		
D437,481	S	*	2/2001	Vazquez	D3/244	2003/0128897	A1	7/2003	Lehrman
D441,612	S		5/2001	Hamilton		2003/0185465	A1	10/2003	Vazquez
D451,665	S		12/2001	Phillips et al.		2003/0228072	A1	12/2003	Tyberg
D462,164	S		9/2002	Phillips					
D474,887	S		5/2003	Forster		* cited by examiner			




FIG. 1




FIG.2




FIG. 3





FIG. 4



FIG. 5

FIG.6






FIG. 7

FIG.8





FIG.9




FIG.10