

(12) **United States Design Patent** (10) **Patent No.:** **US D513,519 S**
Chisolm (45) **Date of Patent:** **** Jan. 10, 2006**

(54) **EYEGLASS RETAINER**

(75) Inventor: **Gregg Chisolm**, Salt Lake City, UT (US)

(73) Assignee: **Chisco, Inc.**, Salt Lake City, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/199,474**

(22) Filed: **Feb. 13, 2004**

(51) **LOC (8) Cl.** **16-06**

(52) **U.S. Cl.** **D16/339**

(58) **Field of Classification Search** D16/300–330, D16/339; D29/109–110; D24/110.2; 351/41, 351/44, 51–52, 111, 92, 156–158, 123–124; 2/426–432, 448, 441, 447, 434–437, 15
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,819,738 A	8/1931	Daniels	
1,894,888 A *	1/1933	Ponton	351/157
2,481,946 A	9/1949	Pendleton	
2,539,922 A	1/1951	Nyberg	
2,704,961 A	3/1955	Weil	
4,133,604 A *	1/1979	Fuller	351/123
4,541,696 A	9/1985	Winger et al.	
4,696,556 A	9/1987	Perry, III	
4,743,105 A *	5/1988	Tabacchi	351/157
D298,542 S *	11/1988	Carlson et al.	D16/339
D309,619 S	7/1990	Kalbach	
D328,908 S	8/1992	Kalbach	
5,157,425 A *	10/1992	Liu	351/156
D337,337 S *	7/1993	Dang et al.	D16/339
5,379,928 A	1/1995	Mikkelsen	
D355,358 S *	2/1995	Starr et al.	D16/339
5,575,042 A	11/1996	Kalbach	
D403,346 S	12/1998	Roberts	

D411,562 S	*	6/1999	Riley	D16/339
D420,039 S		2/2000	Carey et al.	
D456,870 S		5/2002	Suissa	
6,478,419 B1		11/2002	McDaniel	
D486,511 S		2/2004	Kalbach	

FOREIGN PATENT DOCUMENTS

EP 0 058 772 9/1982

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Morris O'Bryant Compagni, P.C.


(57) **CLAIM**

The ornamental design for an eyeglass retainer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the present invention; FIG. 2 is a first view in elevation of the invention displaying the band and temple retainer pieces; FIG. 3 is a view in elevation of the invention shown in FIG. 2 rotated 180° about its longitudinal axis; FIG. 4 is a view in elevation of the invention illustrated in FIG. 2 rotated ninety degrees; FIG. 5 is a view in elevation of the invention illustrated in FIG. 4 rotated 180°; FIG. 6 is an end view of the invention illustrated in FIG. 2 rotated ninety degrees clockwise about an axis normal to the longitudinal axis of the invention; and, FIG. 7 is an end view of the invention illustrated in FIG. 2 rotated ninety degrees counterclockwise about an axis normal to the longitudinal axis of the invention. The broken lines shown in FIG. 1 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7