

US00D513565S

(12) United States Design Patent (10) Patent No.:

Juraschek

US D513,565 S

** Jan. 17, 2006 (45) Date of Patent:

(54)	SURFACI SEAT	E CONFIGURATION OF A VEHICLE				
(75)	Inventor:	Romuald Juraschek, Althengstett (GB)				
(73)	Assignee:	Dr. Ing. h.c.F. Porsche Aktiengesellschaft, Stuttgart (DE)				
(**)	Term:	14 Years				
(21)	Appl. No.: 29/222,477					
(22)	Filed:	Feb. 1, 2005				
(30)	Foreign Application Priority Data					
Aug. 17, 2004 (EM) 000217351						
(51)	LOC (8) Cl 06-01					
(52)	U.S. Cl					
(58)	Field of Classification Search					
	D6/356, 367, 368, 374, 375, 381, 500-502;					
	297/232, 353, 354.1, 452.24, 452.26, 452.34,					
	~	297/452.35				
See application file for complete search history.						
(56)	References Cited					

U.S. PATENT DOCUMENTS

D321,095 S	*	10/1991	Bockwoldt D6/356
D336,791 S			Stidd
D396,152 S	*	7/1998	Beermann et al D6/356
D411,690 S	*	6/1999	Kneip et al D6/356
D453,078 S	*	1/2002	Yamazaki et al D6/356

^{*} cited by examiner

Primary Examiner—Mimosa De

(74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle seat, as shown and described.

DESCRIPTION


This application is related to the following co-pending application, of the inventor, filed on even date herewith: Application Ser. No. 29/222,478, entitled "Surface Configuration of a Vehicle Seat".

FIG. 1 is a perspective view of a surface configuration of a vehicle seat according to my novel design;

FIG. 2 is a front view of the surface configuration of a vehicle seat according to my novel design; and,

FIG. 3 is a left side view of the surface configuration of a vehicle seat according to my novel design.

1 Claim, 2 Drawing Sheets






FIG. 1

