



US00D513571S

(12) **United States Design Patent** (10) **Patent No.:** **US D513,571 S**
Haack (45) **Date of Patent:** **** Jan. 17, 2006**

(54) **HOOD-SHAPED SEAT CUSHION**
(76) Inventor: **Scott Graham Haack**, 1351
Springhaven Cir. NE, Massillon, OH
(US) 44646
(**) Term: **14 Years**
(21) Appl. No.: **29/179,338**
(22) Filed: **Apr. 8, 2003**
(51) **LOC (8) Cl.** **06-09**
(52) **U.S. Cl.** **D6/601**
(58) **Field of Classification Search** D6/595-598,
D6/601, 604, 611; D24/183; 5/630, 632-633,
5/636-638, 640, 644, 652, 652.1, 653, 654,
5/655, 655.3, 655.4, 655.9, 656, 657.5, 907,
5/945; 224/153, 155, 584, 907; 297/129,
297/180.11, 188.2, 188.12, 195.1, 199, 219.1,
297/225, 228.1, 229, 452.41
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

563,225 A * 6/1896 Forsberg 5/652.1
1,216,707 A * 2/1917 Lawson 5/633
1,469,523 A * 10/1923 McGarvey 5/490
1,499,166 A * 6/1924 Frazier 5/655.9
1,673,636 A * 6/1928 Perry 5/655.3
3,421,163 A * 1/1969 Stoughton 297/452.41
4,080,675 A * 3/1978 Kanowsky et al. 5/655.9
4,563,785 A * 1/1986 Samelson D6/596
4,726,624 A * 2/1988 Jay 5/655.5
4,924,634 A * 5/1990 MacKay, Jr. 451/342
D309,227 S * 7/1990 Popiolkowski D6/601
5,079,786 A * 1/1992 Rojas 5/655.4
5,120,111 A * 6/1992 Cook 297/452.41
D335,417 S * 5/1993 Jonasson D6/601

D338,797 S * 8/1993 Huls D6/601
D342,181 S * 12/1993 White D6/601
D346,523 S * 5/1994 Johnson D6/601
D369,055 S * 4/1996 Bode D6/601
5,669,660 A * 9/1997 Matthies 297/452.41
D414,993 S * 10/1999 Bordal et al. D6/604
6,082,824 A * 7/2000 Chow 5/653
D485,111 S * 1/2004 Keilhauer D6/601

* cited by examiner

Primary Examiner—Gary D. Watson
Assistant Examiner—T. Chase Nelson
(74) *Attorney, Agent, or Firm*—Sand & Sebolt


(57) **CLAIM**

The ornamental design for a hood-shaped seat cushion, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the hood-shaped seat cushion of the present invention; FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a front view thereof; FIG. 5 is a back view thereof; FIG. 6 is a right side view thereof; FIG. 7 is a left side view thereof; FIG. 8 is a perspective view of a second embodiment of the hood-shaped seat cushion of the present invention; FIG. 9 is a top view thereof; FIG. 10 is a bottom view thereof; FIG. 11 is a front view thereof; FIG. 12 is a back view thereof; FIG. 13 is a right side view thereof; and, FIG. 14 is a left side view thereof.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8




FIG-9




FIG-10




FIG-11




FIG-12




FIG-13




FIG-14