



US00D513595S

(12) **United States Design Patent** (10) **Patent No.:** **US D513,595 S**
Weber et al. (45) **Date of Patent:** **** Jan. 17, 2006**

(54) **RESILIENT PACKAGE WITH TACTILE INTERACTION CORNER FOR FOLDED SOFT FABRICS**

(75) Inventors: **Mark Weber**, Charlotte, NC (US); **Matthew McGarry**, Charlotte, NC (US); **Louisa Baar**, Charlotte, NC (US); **Ian Lebwohl**, New York City, NY (US)

(73) Assignee: **Springs Industries, Inc.**, Fort Mill, SC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/204,265**

(22) Filed: **Apr. 27, 2004**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/711**

(58) **Field of Classification Search** D6/318; D9/710, 711, 720, 722; 206/278, 281, 288; 229/359; 223/DIG. 1, 4, 85, 87, 115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-------------|-----------|------------------|-----------|
| 3,172,531 A | 3/1965 | Shillman | 206/45.34 |
| 3,549,085 A | * 12/1970 | Hart | 383/23 |
| 3,603,491 A | * 9/1971 | Weight | 223/96 |
| 3,670,947 A | * 6/1972 | Tangredi et al. | 383/23 |
| 4,556,158 A | * 12/1985 | Blanchard et al. | 223/88 |
| 4,565,309 A | * 1/1986 | Batts et al. | 223/96 |
| 4,590,610 A | * 5/1986 | Rhyne | 383/23 |
| 4,742,914 A | 5/1988 | Klein | 206/461 |
| 4,834,553 A | * 5/1989 | Bennett | 383/23 |
| D303,353 S | * 9/1989 | Enison | D8/373 |
| 4,889,265 A | * 12/1989 | Morgan | 223/96 |
| 5,027,945 A | * 7/1991 | Wilkins | 206/278 |
| 5,161,720 A | * 11/1992 | Kolton et al. | 223/85 |
| D335,581 S | * 5/1993 | Gouldson | D6/318 |

| | | | |
|--------------|-----------|------------------|-----------|
| 5,622,258 A | 4/1997 | Baublitz et al. | 206/349 |
| D430,016 S | 8/2000 | Pirro et al. | D9/415 |
| 6,126,008 A | 10/2000 | Cox | 206/471 |
| D450,578 S | 11/2001 | Tomaselli et al. | D9/418 |
| 6,401,932 B1 | 6/2002 | Weinstein et al. | 206/779 |
| 6,431,543 B1 | 8/2002 | Cole et al. | 273/153 R |
| 6,499,635 B1 | * 12/2002 | Weinstein | 223/93 |
| 6,612,431 B2 | 9/2003 | Faircloth | 206/299 |
| 6,622,858 B1 | 9/2003 | Wilkinson et al. | 206/299 |

FOREIGN PATENT DOCUMENTS

| | | |
|----|-----------|--------|
| FR | 2 583 721 | 6/1985 |
| FR | 2 689 868 | 4/1992 |

* cited by examiner

Primary Examiner—Stella Reid

Assistant Examiner—Jean E. McCormick

(74) *Attorney, Agent, or Firm*—Myers Bigel Sibley & Sajovec PA

(57) **CLAIM**

The ornamental design for a resilient package with tactile interaction corner for folded soft fabrics, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a resilient package with tactile interaction corner for folded soft fabrics showing our new design

FIG. 2 is front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;


FIG. 5 is a bottom view thereof;

FIG. 6 is a side view thereof; and,

FIG. 7 is a side view thereof; opposite that shown in FIG. 6.

The broken line showing of the images, text, labeling and decorative images are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7