



US00D513709S

(12) **United States Design Patent**  
**Coward**

(10) **Patent No.:** **US D513,709 S**  
(45) **Date of Patent:** **\*\* Jan. 24, 2006**

(54) **REVERSING ALARM**

(75) **Inventor:** **Mark Coward, Tokyo (JP)**

(73) **Assignee:** **Yamaguchi Electric Ind. Co. Limited,**  
**Tokyo (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/209,370**

(22) **Filed:** **Jul. 15, 2004**

(51) **LOC (8) Cl. .... 10-06**

(52) **U.S. Cl. .... D10/120**

(58) **Field of Classification Search** ..... D26/28,  
D26/1; D10/120, 119, 116, 111, 104, 102;  
D10/340/463, 436, 435, 384.4, 384.1  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D205,957 S \* 10/1966 Nagel ..... D26/28  
D215,978 S \* 11/1969 Beams ..... D10/120  
D235,747 S \* 7/1975 Sweaney ..... D10/120

D255,278 S \* 6/1980 Alzman ..... D26/28  
D338,165 S \* 8/1993 Gregori et al. .... D10/104  
D346,235 S \* 4/1994 Tsai ..... D26/29  
D347,596 S \* 6/1994 Jackson ..... D10/106  
D354,823 S \* 1/1995 Tsai ..... D26/28

\* cited by examiner

*Primary Examiner*—Cathron C. Brooks  
*Assistant Examiner*—Austin Murphy  
(74) *Attorney, Agent, or Firm*—Cook, Alex, McFarron,  
Manzo, Cummings & Mehler, Ltd.


(57) **CLAIM**

The ornamental design for a reversing alarm, as shown and described.


**DESCRIPTION**

FIG. 1 is a top plan view of my design for a reversing alarm;  
FIG. 2 is a bottom plan view thereof;  
FIG. 3 is a rear elevation view thereof;  
FIG. 4 is a front elevation view thereof; and,  
FIG. 5 is a right side elevation view thereof.


**1 Claim, 2 Drawing Sheets**



*Fig. 2*



*Fig. 1*






Fig. 3




Fig. 4




Fig. 5