

US00D513731S

(12) **United States Design Patent**
Kang et al.

(10) **Patent No.: US D513,731 S**
(45) **Date of Patent: ** Jan. 24, 2006**

(54) **EXTENDABLE BATTERY CHARGER**

(75) Inventors: **Donwoong Kang**, Syracuse, NY (US);
Scott W. Osiecki, Skaneateles, NY
(US); **Grahame P. Ward**, Marcellus,
NY (US)

(73) Assignee: **Eveready Battery Company, Inc.**, St.
Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/212,760**

(22) Filed: **Sep. 8, 2004**

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/107**

(58) **Field of Classification Search** D13/107-110,
D13/118-119, 184; D14/251, 253; 320/107-115
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D278,703 S	*	5/1985	Chiodo et al.	D13/107
4,816,735 A	*	3/1989	Cook et al.	320/110
D432,122 S	*	10/2000	Richter	D14/253
D443,856 S	*	6/2001	Lehtovaara	D13/107
D454,837 S	*	3/2002	Ibuki et al.	D13/107
D456,004 S	*	4/2002	Lie	D13/107
6,384,575 B1	*	5/2002	Chen et al.	320/110
D463,360 S	*	9/2002	Lie	D13/107
D465,452 S	*	11/2002	Lie	D13/107
D466,075 S	*	11/2002	Lie	D13/107
D476,298 S	*	6/2003	Lee	D13/184
D486,784 S	*	2/2004	Kawasaki	D13/107
6,876,172 B2	*	4/2005	Lam et al.	320/110

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Rosemary Tarcza

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

We claim the ornamental design for extendable battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the top, front, and right side of the extendable battery charger of the present invention in its retracted position;

FIG. 2 is a top view of the extendable battery charger of the present invention in its retracted position;

FIG. 3 is a view of the first side of the extendable battery charger of the present invention in its retracted position;

FIG. 4 is a bottom view of the extendable battery charger of the present invention in its retracted position;

FIG. 5 is a front view of the extendable battery charger of the present invention in its retracted position;

FIG. 6 is a rear view of the extendable battery charger of the present invention in its retracted position;

FIG. 7 is a perspective view showing the top, front, and right side of the extendable battery charger of the present invention in its extended position;

FIG. 8 is a top view of the extendable battery charger of the present invention in its extended position;

FIG. 9 is a view of the first side of the extendable battery charger of the present invention in its extended position;


FIG. 10 is a bottom view of the extendable battery charger of the present invention in its extended position;

FIG. 11 is a front view of the extendable battery charger of the present invention in its extended position; and,

FIG. 12 is a rear view of the extendable battery charger of the present invention in its extended position.

The first side elevational view shown in FIG. 3 is a mirror image of the opposite side of the extendable battery charger of the present invention.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12