



US00D513996S

(12) **United States Design Patent**
Schmid

(10) **Patent No.:** **US D513,996 S**

(45) **Date of Patent:** **** Jan. 31, 2006**

(54) **WALL-STANDING CLOCK**

D261,869 S * 11/1981 Boukma D10/16
D386,093 S * 11/1997 Shimamura D10/29

(76) **Inventor:** **Heinz-Peter Schmid**, Dinkelscherbener
Strasse 12, 86199 Augsburg (DE)

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Nelson C. Holtje
(74) *Attorney, Agent, or Firm*—Bacon & Thomas

(21) **Appl. No.:** **29/175,092**

(57) **CLAIM**

(22) **Filed:** **Jan. 30, 2003**

The ornamental design for a wall-standing clock, as shown
and described.

(30) **Foreign Application Priority Data**

Aug. 8, 2002 (DE) 4 02 06 704

DESCRIPTION

(51) **LOC (8) Cl.** **10-01**

(52) **U.S. Cl.** **D10/16**

(58) **Field of Classification Search** D10/16,
D10/29; D6/432, 436, 438, 445, 449, 461,
D6/470-472; 368/179-180, 276-277, 280-282,
368/285, 316-317

See application file for complete search history.


FIG. 1 is a right-side perspective elevation view of the
wall-standing clock according to the present invention;
FIG. 2 is a front elevation view of the wall-standing clock
of FIG. 1;
FIG. 3 is a left side elevation view of the wall-standing clock
of FIG. 1;
FIG. 4 is a top plan view of the wall-standing clock of FIG.
1;
FIG. 5 is a right-side elevation view of the wall-standing
clock of FIG. 1;
FIG. 6 is a bottom view of the wall-standing clock of FIG.
1; and,
FIG. 7 is a back-side view of the wall-standing clock of FIG.
1.

(56) **References Cited**

U.S. PATENT DOCUMENTS

202,275 A * 4/1878 Ley 368/134
D39,922 S * 4/1909 Hamilton D10/16
D52,223 S * 7/1918 Manning D6/461
D57,892 S * 5/1921 Crimi D14/168
D236,955 S * 9/1975 Eisen D10/2

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7