



US00D514060S

(12) **United States Design Patent**  
**Wong et al.**

(10) **Patent No.: US D514,060 S**  
(45) **Date of Patent: \*\* Jan. 31, 2006**

(54) **BATTERY PACK**

(75) Inventors: **Kam Kee Wong**, Kowloon (HK);  
**Daniel Alex Chunn**, Kowloon (HK);  
**Taku Ohi**, Greer, SC (US)

(73) Assignee: **One World Technologies Limited**,  
Hamilton (BM)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/215,834**

(22) Filed: **Oct. 26, 2004**

(51) **LOC (8) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/103**

(58) **Field of Classification Search** ..... D13/102-106,  
D13/110, 118-119, 184; 429/96-100, 163,  
429/176

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D304,822 S 11/1989 Fushiya et al.

(Continued)

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/203,941, filed Apr. 20, 2004, Cheung et al.

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Rosemary Tarcza

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

The ornamental design for a battery pack, as shown and described.



**DESCRIPTION**

FIG. 1 is a top perspective view of a first embodiment of a battery pack of the present invention;  
FIG. 2 is a top view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a first side view thereof;  
FIG. 5 is a second side view thereof;  
FIG. 6 is a front view thereof;

FIG. 7 is a rear view thereof;  
FIG. 8 is a top perspective view of a second embodiment of a battery pack of the present invention;  
FIG. 9 is a top view thereof;  
FIG. 10 is a bottom view thereof;  
FIG. 11 is a first side view thereof;  
FIG. 12 is a second side view thereof;  
FIG. 13 is a front view thereof;  
FIG. 14 is a rear view thereof;  
FIG. 15 is a top perspective view of a third embodiment of a battery pack of the present invention;  
FIG. 16 is a top view thereof;  
FIG. 17 is a bottom view thereof;  
FIG. 18 is a first side view thereof;  
FIG. 19 is a second side view thereof;  
FIG. 20 is a front view thereof;  
FIG. 21 is a rear view thereof;  
FIG. 22 is a top perspective view of a fourth embodiment of a battery pack of the present invention;  
FIG. 23 is a top view thereof;  
FIG. 24 is a bottom view thereof;  
FIG. 25 is a first side view thereof;  
FIG. 26 is a second side view thereof;  
FIG. 27 is a front view thereof;  
FIG. 28 is a rear view thereof;  
FIG. 29 is a top perspective view of a fifth embodiment of a battery pack of the present invention;  
FIG. 30 is a top view thereof;  
FIG. 31 is a bottom view thereof;  
FIG. 32 is a first side view thereof;  
FIG. 33 is a second side view thereof;  
FIG. 34 is a front view thereof;  
FIG. 35 is a rear view thereof;  
FIG. 36 is a top perspective view of a sixth embodiment of a battery pack of the present invention;  
FIG. 37 is a top view thereof;  
FIG. 38 is a bottom view thereof;  
FIG. 39 is a first side view thereof;  
FIG. 40 is a second side view thereof;  
FIG. 41 is a front view thereof; and,  
FIG. 42 is a rear view thereof.

The ornamental design which is claimed is shown in solid lines in the drawings. Any broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 18 Drawing Sheets**



# US D514,060 S

Page 2

---

## U.S. PATENT DOCUMENTS

D321,338 S	11/1991	Sakamoto et al.	
D368,067 S	3/1996	Okumura	
D412,485 S	8/1999	Kato et al.	
D413,566 S	9/1999	McCombs	
D415,100 S	* 10/1999	Buck .....	D13/103
6,007,939 A	12/1999	Clowers	
6,075,341 A	* 6/2000	White et al. ....	320/114
D432,077 S	10/2000	Zurwelle et al.	
D436,917 S	* 1/2001	Hayakawa et al. ....	D13/103
D456,002 S	* 4/2002	Kato et al. ....	D13/103
D466,863 S	12/2002	Zurwelle et al.	
D474,445 S	5/2003	Matsuoka et al.	
6,562,509 B1	5/2003	Eggert	
D475,679 S	* 6/2003	Cooper et al. ....	D13/103
D477,811 S	* 7/2003	Niwa et al. ....	D13/103
D481,672 S	* 11/2003	Niwa et al. ....	D13/103
D483,012 S	* 12/2003	Hsu .....	D13/103
D484,458 S	* 12/2003	Garvis et al. ....	D13/103
6,783,886 B1	* 8/2004	Sakakibara et al. ....	429/99
2003/0039880 A1	* 2/2003	Turner et al. ....	429/97
2004/0106036 A1	* 6/2004	Geis et al. ....	429/99

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14






Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31






Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38

Fig. 39




Fig. 40




Fig. 41




Fig. 42

