



US00D514415S

(12) **United States Design Patent** (10) **Patent No.:** **US D514,415 S**
Gibbons et al. (45) **Date of Patent:** **** Feb. 7, 2006**

(54) **AUTOMATIC SCREWFEEEDER**
(75) **Inventors:** **Louis A. Gibbons**, Stevensville, MD (US); **David C. Campbell**, Bel Air, MD (US); **Rod Muir**, South Mountain (CA); **Aldo Balatti**, Greely (CA); **John S. Roemer**, McAllen, TX (US)

(73) **Assignee:** **Black & Decker Inc.**, Newark, DE (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/198,799**

(22) **Filed:** **Feb. 4, 2004**

(51) **LOC (8) Cl.** **08-04**

(52) **U.S. Cl.** **D8/70**

(58) **Field of Classification Search** D8/61, D8/62, 63, 64, 65, 66, 67, 68, 69, 70; D15/138, D15/139, 140; 81/54, 57.37, 430, 434, 435; 227/119

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,670,770 A * 3/1954 Potterton 81/57.37
- 3,266,537 A * 8/1966 Ulbing 81/430
- 3,907,014 A * 9/1975 Manino 81/433
- 4,397,412 A 8/1983 Dewey
- D383,656 S 9/1997 Muro
- D387,963 S 12/1997 Clark
- D389,028 S 1/1998 Muro
- D391,135 S * 2/1998 Habermehl et al. D8/70
- 5,740,705 A 4/1998 Graham
- D403,940 S 1/1999 Steinfeldt
- D438,769 S 3/2001 Deziel
- D440,137 S * 4/2001 Muro et al. D8/70
- 6,439,085 B1 * 8/2002 Habermehl et al. 81/435

- 6,457,390 B1 * 10/2002 Daubinger et al. 81/57.37
- 6,701,806 B2 * 3/2004 Swanson et al. 81/57.37
- 6,862,963 B2 * 3/2005 Habermehl et al. 81/434
- 2003/0131690 A1 * 7/2003 Swanson et al. 81/57.37
- 2004/0226977 A1 * 11/2004 Hofbrucker et al. 227/119
- 2005/0039580 A1 * 2/2005 Gibbons et al. 81/57.37

FOREIGN PATENT DOCUMENTS

DE	M 89 03 687	5/1989
DE	M 90 05 602	8/1990
DE	M 92 01 773	9/1991
DE	M 96 03 463	11/1995
DE	400 06 349	4/2000

* cited by examiner

Primary Examiner—Gary D. Watson
Assistant Examiner—T. Chase Nelson

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**


The ornamental design for an automatic screwfeeder, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of an automatic screwfeeder according to the present invention;
 FIG. 2 is an opposite side elevational view of the present invention;
 FIG. 3 is a top elevational view of the present invention;
 FIG. 4 is a bottom elevational view of the present invention;
 FIG. 5 is an enlarged front elevational view of the present invention; and,
 FIG. 6 is an enlarged rear elevational view of the present invention.

All broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig-1




Fig-2




Fig-3




Fig-4




Fig-5




Fig-6