

US00D514449S

(12) **United States Design Patent** (10) **Patent No.:** **US D514,449 S**
Bretz et al. (45) **Date of Patent:** **** Feb. 7, 2006**

- | | | | |
|--|-------------|---------|---------------------|
| (54) BOTTLE | 4,927,680 A | 5/1990 | Collette et al. |
| | 5,005,716 A | 4/1991 | Eberle |
| (75) Inventors: John M. Bretz , Crystal Lake, IL (US);
John L. Konieczka , Lake Barrington,
IL (US); Scott A. Schoessel , Evantson,
IL (US); Jill Maine , Chicago, IL (US);
Thomas C. Van Dyk , Ramsey, NJ (US) | 5,178,290 A | 1/1993 | Ota et al. |
| | D345,693 S | 4/1994 | Edstrom |
| | 5,337,909 A | 8/1994 | Vaillencourt |
| | 5,341,946 A | 8/1994 | Vaillencourt et al. |
| | D364,565 S | 11/1995 | Vaillencourt et al. |
| (73) Assignee: Stokely-Van Camp, Inc. , Chicago, IL
(US) | D393,802 S | 4/1998 | Collette et al. |
| | D426,460 S | 6/2000 | Krishnakumar et al. |
| | D433,322 S | 11/2000 | Krishnakumar et al. |

(Continued)

(**) Term: **14 Years**

(21) Appl. No.: **29/210,251**

(22) Filed: **Jul. 29, 2004**

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Lars S. Johnson; James D. Ryndak

Related U.S. Application Data

(62) Division of application No. 29/208,472, filed on Jun. 29, 2004, now Pat. No. Des. 504,063, which is a continuation of application No. 29/169,390, filed on Oct. 18, 2002, now abandoned.

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/667; D9/551; D9/558**

(58) **Field of Classification Search** D9/307,
D9/500–504, 516–520, 537–543, 549–552,
D9/556–564, 569–570; 215/379–383, 400;
220/890

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- | | | |
|-------------|--------|-----------------|
| 4,717,525 A | 1/1988 | Iizuka et al. |
| D294,117 S | 2/1988 | Rogler et al. |
| D294,118 S | 2/1988 | Papa |
| D294,462 S | 3/1988 | Ota et al. |
| D294,463 S | 3/1988 | Lang |
| D294,678 S | 3/1988 | Papa |
| D295,381 S | 4/1988 | Papa |
| D295,382 S | 4/1988 | Rogler |
| D295,612 S | 5/1988 | Ota |
| 4,805,788 A | 2/1989 | Akiho |
| D300,805 S | 4/1989 | Rogler et al. |
| 4,863,046 A | 9/1989 | Collette et al. |

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing the new design;

FIG. 2 is an elevational view thereof;

FIG. 3 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 2;

FIG. 4 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 3;

FIG. 5 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 4;

FIG. 6 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 5;


FIG. 7 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 6;

FIG. 8 is a top plan view thereof; and,

FIG. 9 is a bottom plan view thereof.

The broken line showing is for illustrative purposes only, and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D514,449 S

Page 2

U.S. PATENT DOCUMENTS

D434,330 S	11/2000	Rowe et al.		D457,055 S	5/2002	Ranchetti	
D439,166 S	* 3/2001	Denner et al.	D9/538	D457,056 S	5/2002	Ranchetti	
D441,641 S	5/2001	Piccioli et al.		D466,021 S	11/2002	Thierjung et al.	
D448,673 S	10/2001	Bretz et al.		D488,719 S	* 4/2004	Evans et al.	D9/434
D456,704 S	5/2002	Ranchetti					

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 8




FIG. 9

FIG. 6




FIG. 7

