

US00D514503S

(12) **United States Design Patent** (10) **Patent No.:** **US D514,503 S**
Weaver et al. (45) **Date of Patent:** **** Feb. 7, 2006**

(54) **TIRE TREAD**

(75) Inventors: **Charles Bradford Weaver**, Greenville, SC (US); **Jeffrey Edmond Godsey**, Greenville, SC (US); **Ransarid Jugsujinda**, Simpsonville, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.** (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/211,208**

(22) Filed: **Aug. 12, 2004**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/596**

(58) **Field of Classification Search** D12/544, D12/545, 560, 561, 566, 567, 579, 580, 583, D12/596, 602, 603, 900, 901; 152/209.1, 152/209.9, 209.12, 209.18, 209.25

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D297,723 S	*	9/1988	Corner	D12/580
D328,577 S	*	8/1992	Goergen et al.	D12/597
D335,845 S		5/1993	Lurois	D12/147
D384,611 S	*	10/1997	Harden, Jr.	D12/597
D399,797 S	*	10/1998	Bergstrom et al.	D12/596
D444,424 S		7/2001	Habay	D12/143
D464,315 S		10/2002	Lopez	D12/597
D483,321 S		12/2003	Hiroko	D12/588

OTHER PUBLICATIONS

Yokohama Y356 Tire, 2003 Tread Design Guide, Jan. 2003, p. 106. 3/4.*
Tread Design Guide, 1992, p. 108, GENERAL XP 2000 ST.
Tread Design Guide, 1997, p. 53, MILLER Winter Radial.

Tread Design Guide, 1997, p. 103, KUMHO Power Guard A/T 822.

Tread Design Guide, 2002, p. 91, KUMHO Power Grip 842.

Tread Design Guide, 2002, p. 95, MASTERCRAFT Courser Radial LT.

Tread Design Guide, 2002, p. 96, MERIT Durango A/T.

Tread Design Guide, 2002, p. 107, SUMITOMO Serengeti Radial A/T.

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—E. Martin Remick; Adam Arnold; Robert R. Reed

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of a tire, the opposite side perspective view being a mirror image thereto; and,

FIG. 2 is an enlarged fragmentary front elevation view of the tire tread thereof of FIG. 1.

In the drawings, the dark stippled surface shading represents the recessed groove portions of the tire tread having a depth as best illustrated along the right edge of FIG. 1. The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2