



US00D514512S

(12) **United States Design Patent**  
**Rubin et al.**

(10) **Patent No.:** **US D514,512 S**  
(45) **Date of Patent:** **\*\* Feb. 7, 2006**

(54) **DOCKING STATION WITH MICRO-CLOCK OR MICRO-COMPASS**

(75) Inventors: **Bennett S. Rubin**, Pepper Pike, OH (US); **Ronald Rich**, Burton, OH (US)

(73) Assignee: **Crestwood Partners, LLC**, Mayfield Village, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/205,172**

(22) Filed: **May 11, 2004**

(51) **LOC (8) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/108**

(58) **Field of Classification Search** ..... D13/107-110,  
D13/118-119, 184; D14/251, 253, 432, 434;  
320/107-115

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D432,528 S	*	10/2000	Hartman et al.	.....	D14/243
D445,781 S	*	7/2001	Peiker	.....	D14/253
D466,122 S	*	11/2002	Moody	.....	D14/434
D469,427 S	*	1/2003	Ma et al.	.....	D14/253
D476,376 S	*	6/2003	Wintersteiger	.....	D21/329
2004/0195999 A1	*	10/2004	Parker	.....	320/107

\* cited by examiner

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Rosemary Tarcza  
(74) *Attorney, Agent, or Firm*—Smith, Gambrell & Russell, LLP


(57) **CLAIM**

The ornamental design for a docking station with micro-clock or micro-compass, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a docking station of a first embodiment of the present invention, wherein the docking station includes a micro-clock shown in broken lines; FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a front view thereof; FIG. 7 is a rear view thereof; and, FIG. 8 is a perspective view of a docking station of a second embodiment of the present invention, wherein the docking station includes a micro-compass shown in broken lines rather than the micro-clock of FIG. 1, the only difference between the second embodiment and the first embodiment being the accommodation of the micro-compass in the top of the docking station, it being understood that all other surfaces are the same as those of the first embodiment. The broken line showing is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8