



US00D514752S

(12) **United States Design Patent**
Conforth

(10) **Patent No.:** **US D514,752 S**

(45) **Date of Patent:** **** Feb. 7, 2006**

(54) **MOISTURE-WICKING SADDLE PAD**

(75) **Inventor:** **Michael Conforth**, Manalapan, NJ
(US)

(73) **Assignee:** **Union Hill Corp.**, Englishtown, NJ
(US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/211,607**

(22) **Filed:** **Aug. 18, 2004**

(51) **LOC (8) Cl.** **30-04**

(52) **U.S. Cl.** **D30/134**

(58) **Field of Classification Search** D30/135-35,
D30/144-45; 54/65, 66, 79.1-79.4, 44.1,
54/44.3, 44.5, 44.7; 264/222; 428/95, 116,
428/71; 442/370

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-------------|---|--------|---------------|-------|---------|
| D31,409 S | * | 8/1899 | Padgitt | | D30/144 |
| 3,323,287 A | * | 6/1967 | Hilmer | | 54/66 |
| 3,807,136 A | * | 4/1974 | Deal | | 54/66 |
| 4,683,709 A | * | 8/1987 | Vasko et al. | | 54/66 |
| 4,695,496 A | * | 9/1987 | Lee | | 428/95 |
| 5,299,412 A | * | 4/1994 | Cudney et al. | | 54/66 |
| D350,420 S | * | 9/1994 | Cudney et al. | | D30/135 |

| | | | | | |
|--------------|---|---------|---------------|-------|---------|
| 5,363,631 A | * | 11/1994 | Garrison | | 54/66 |
| D376,226 S | * | 12/1996 | Podolny | | D30/134 |
| 5,802,823 A | * | 9/1998 | Woods | | 54/66 |
| 6,050,067 A | * | 4/2000 | Knight et al. | | 54/44.6 |
| 6,421,989 B1 | * | 7/2002 | Leson | | 54/66 |
| 6,574,947 B2 | * | 6/2003 | Landi et al. | | 54/65 |

* cited by examiner

Primary Examiner—Louis S. Zarfaz

Assistant Examiner—Susan Moon Lee

(74) *Attorney, Agent, or Firm*—Siegmar Silber

(57) **CLAIM**

The ornamental design for a moisture-wicking saddle pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a moisture-wicking saddle pad of the present design, shown as if mounted on a horse; FIG. 2 is a top plan view of FIG. 1 but arrayed on a flat surface in which view the dotted line representing the stitching pattern;


FIG. 3 is a left side elevational view of the saddle pad in FIG. 2, the right side elevational view being a mirror image thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 2





FIG. 3




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 514,752 S
APPLICATION NO. : 29/211607
DATED : February 7, 2006
INVENTOR(S) : Conforth

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DELETE DRAWING SHEET 2 AND SUBSTITUTE THEREFOR THE
DRAWING SHEET CONSISTING OF FIG 4-6 AS SHOWN ON THE
ATTACHED PAGES.

Signed and Sealed this

Twenty-third Day of January, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 514,752 S
APPLICATION NO. : 29/211607
DATED : February 7, 2006
INVENTOR(S) : Conforth

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DELETE DRAWING SHEET 2 AND SUBSTITUTE THEREFOR THE
DRAWING SHEET CONSISTING OF FIG 4-6 AS SHOWN ON THE
ATTACHED PAGES.

Delete the title page and substitute therefore the attached title page

Delete Drawing Sheets 1-2 and substitute therefor the attached Drawing Sheet 1 and 2.

This certificate supersedes Certificate of Correction issued January 23, 2007.

Signed and Sealed this

Twenty-seventh Day of February, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) Patent No.: **US D514,752 S**
Conforth (45) Date of Patent: **** Feb. 7, 2006**

(54) **MOISTURE-WICKING SADDLE PAD**

(75) Inventor: **Michael Conforth, Manalapan, NJ (US)**

(73) Assignee: **Union Hill Corp., Englishtown, NJ (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/211,607**

(22) Filed: **Aug. 18, 2004**

(51) LOC (8) Cl. **30-04**

(52) U.S. Cl. **D30/134**

(58) Field of Classification Search **D30/135-35, D30/144-45; 54/65, 66, 79.1-79.4, 44.1, 54/44.3, 44.5, 44.7; 264/222; 428/95, 115, 428/71; 442/370**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D31,409 S * 8/1899 Padgitt D30/144
- 3,323,287 A * 6/1967 Hilmer 54/66
- 3,807,136 A * 4/1974 Deal 54/66
- 4,683,709 A * 8/1987 Vasko et al. 54/66
- 4,695,496 A * 9/1987 Lee 428/95
- 5,299,412 A * 4/1994 Cudney et al. 54/66
- D350,420 S * 9/1994 Cudney et al. D30/135

- 5,353,631 A * 11/1994 Garrison 54/66
- D376,226 S * 12/1996 Podolny D30/134
- 5,802,823 A * 9/1998 Woods 54/66
- 6,050,067 A * 4/2000 Knight et al. 54/44.6
- 6,421,989 B1 * 7/2002 Leson 54/66
- 6,574,947 B2 * 6/2003 Landi et al. 54/65

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Susan Moon Lee

(74) *Attorney, Agent, or Firm*—Siegmar Silber

(57) **CLAIM**

The ornamental design for a moisture-wicking saddle pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a moisture-wicking saddle pad of the present design, shown as if mounted on a horse; FIG. 2 is a top plan view of FIG. 1 but arrayed on a flat surface in which view the dotted line representing the stitching pattern;


FIG. 3 is a left side elevational view of the saddle pad in FIG. 2, the right side elevational view being a mirror image thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6