



US00D514796S

(12) **United States Design Patent** (10) **Patent No.:** **US D514,796 S**
Sedlbauer (45) **Date of Patent:** **** Feb. 14, 2006**

(54) **BOOT**

(75) Inventor: **Stephen W. Sedlbauer**, Burlington (CA)

(73) Assignee: **Coug & Company Inc.**, Burlington (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/206,395**

(22) Filed: **Jun. 1, 2004**

(51) **LOC (8) Cl.** **02-04**

(52) **U.S. Cl.** **D2/970; D2/910**

(58) **Field of Classification Search** **D2/970, D2/896, 910, 911; D21/764; 36/83**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D92,853 S	7/1934	Martel	
D94,079 S	12/1934	Fowler	
D264,137 S	* 4/1982	Sundin D28/37
D268,543 S	4/1983	Bretschneider	
D269,137 S	5/1983	Balbinot	
D316,773 S	5/1991	Valle	
D324,448 S	3/1992	Blissett	
D329,131 S	9/1992	Ostberg	
D365,921 S	1/1996	von Conta et al.	
D367,354 S	2/1996	Brooks et al.	
D369,236 S	4/1996	Maltby	
D377,411 S	1/1997	Murray	
D377,859 S	2/1997	Bramani	
D378,472 S	3/1997	Bramani	
D386,292 S	11/1997	Brooks et al.	
D388,941 S	1/1998	Schapiro et al.	
D394,142 S	5/1998	Merceron	
D394,146 S	5/1998	Egelja et al.	
D394,540 S	5/1998	Egelja	
D397,544 S	9/1998	Egelja	
D403,496 S	1/1999	McNaught	
D404,899 S	2/1999	von Conta	
D412,777 S	8/1999	Norton et al.	
D416,379 S	11/1999	Cintron	

D440,387 S	4/2001	Matis et al.	
D441,522 S	5/2001	Matis et al.	
D442,356 S	5/2001	Aschenbrenner	
D447,322 S	9/2001	Auberry	
D447,323 S	9/2001	Cadet	
D449,435 S	10/2001	Johnson et al.	
D455,895 S	4/2002	Yang	
D458,010 S	6/2002	Della Valle	
D463,655 S	10/2002	Gerdy et al.	
D473,277 S	* 4/2003	Duret et al. D21/764
D475,842 S	6/2003	Cook	
D490,598 S	6/2004	Sedlbauer	
D499,233 S	* 12/2004	Sedlbauer D2/910

FOREIGN PATENT DOCUMENTS

CA	55432	12/1985
CA	55456	12/1985
CA	55457	12/1985
CA	97445	9/2002
CA	97444	11/2002
CA	101325	5/2004

* cited by examiner

Primary Examiner—Stella Reid

Assistant Examiner—Rashida C. McCoy

(74) *Attorney, Agent, or Firm*—Riches, McKenzie & Herbert LLP

(57) **CLAIM**

I claim the ornamental design for a boot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a boot showing my new design;

FIG. 2 is a left side elevation view thereof;

FIG. 3 is a right side elevation view thereof;


FIG. 4 is a front elevation view thereof;

FIG. 5 is a rear elevation view thereof; and,

FIG. 6 is a top elevation view thereof.

The broken line showing of the boot is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1.



FIG. 2.



FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.