



US00D514883S

(12) **United States Design Patent**
Tardif et al.

(10) **Patent No.:** **US D514,883 S**
(45) **Date of Patent:** **** Feb. 14, 2006**

(54) **CAP AND A HANDLE WITH A STEM OF A MANUAL MILK FROTHER**

D449,957 S * 11/2001 Yeh D7/319
D463,946 S * 10/2002 Yeh D7/309
D500,626 S * 1/2005 Ranzoni D7/317

(75) Inventors: **Pierre Tardif**, Longueuil (CA); **Claude Tawell**, Montreal (CA)

* cited by examiner

(73) Assignee: **Trudeau Corporation 1889 Inc.**, Quebec (CA)

Primary Examiner—Caron D. Veynar

(74) *Attorney, Agent, or Firm*—Cooper & Dunham LLP

(**) Term: **14 Years**

(57) **CLAIM**

We claim the ornamental design for a cap and a handle with a stem of a manual milk frother, as shown and described.

(21) Appl. No.: **29/209,439**

DESCRIPTION

(22) Filed: **Jul. 16, 2004**

(51) **LOC (8) Cl.** **31-00**

(52) **U.S. Cl.** **D7/412; D7/376; D7/510**

(58) **Field of Classification Search** D7/376–380, D7/384, 391–393, 412–413, 300.1, 312, 316–319, D7/510, 511; 241/37.5, 101.01, 101.1, 101.2, 241/168, 169.1, 169.2, 199; 366/64–67, 96–98, 366/129, 130, 241, 247, 256, 318, 342, 347, 366/349; 99/297

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,174,828	A	*	3/1916	Copeland	366/256
1,251,878	A	*	1/1918	Fay	366/256
1,826,356	A	*	10/1931	Mahony	366/129
D161,604	S	*	1/1951	Wright	D7/317
2,575,978	A	*	11/1951	Scheidecker	241/169.1
D181,143	S	*	10/1957	Gundelfinger	D7/376
3,657,993	A	*	4/1972	Close	99/297
4,365,544	A	*	12/1982	Howitt	99/297
D319,556	S	*	9/1991	Purkapile	D7/414
D343,333	S	*	1/1994	Jorgensen	D7/317
D351,964	S	*	11/1994	Zivin	D7/317
D382,764	S	*	8/1997	Brady	D7/317
D386,040	S	*	11/1997	Joergensen	D7/317
D388,275	S	*	12/1997	Joergensen	D7/319
D401,466	S	*	11/1998	Joergensen	D7/318
D410,170	S	*	5/1999	Sheu	D7/319
D426,742	S	*	6/2000	Gartz et al.	D7/376
D446,681	S	*	8/2001	Weibel	D7/376
D448,601	S	*	10/2001	Yeh	D7/319
D449,762	S	*	10/2001	Jacobson et al.	D7/376

FIG. 1 is a perspective view of a cap and a handle with a stem of a manual milk frother according to a first embodiment of the present design;

FIG. 2 is a top plan view of the cap and handle with a stem of a manual milk frother of FIG. 1;

FIG. 3 is a front elevational view of the cap and handle with a stem of a manual milk frother of FIG. 1;

FIG. 4 is a left side elevational view of the cap and handle with a stem of a manual milk frother of FIG. 1, the right side elevational view being a mirror image thereof;

FIG. 5 is a rear elevational view of the cap and handle with a stem of a manual milk frother of FIG. 1;

FIG. 6 is a perspective view of a cap and handle with a stem of a manual milk frother according to a second embodiment of the present design;

FIG. 7 is a top plan view of the cap and handle with a stem of a manual milk frother of FIG. 6;

FIG. 8 is a front elevational view of the cap and handle with a stem of a manual milk frother of FIG. 6;


FIG. 9 is a left side elevational view of the cap and handle with a stem of a manual milk frother of FIG. 6, the right side elevational view being a mirror image thereof;

FIG. 10 is a rear elevational view of the cap and handle with a stem of a manual milk frother of FIG. 6; and,

FIG. 11 is a bottom view of the cap and handle with a stem of a manual milk frother of FIG. 6.

The bottom view is omitted in FIGS. 1 to 5 since the bottom of the cap and stem is unornamented in the first embodiment. The broken lines shown in FIGS. 1–11 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






Fig-1




Fig-2




Fig-3




Fig-4




Fig-5




Fig-6




Fig-7




Fig-8




Fig-9




Fig-10




Fig-11