



US00D514894S

(12) **United States Design Patent** (10) **Patent No.:** **US D514,894 S**  
**Martinez** (45) **Date of Patent:** **\*\* Feb. 14, 2006**

- (54) **THERMAL SLEEVE FOR BEVERAGE CONTAINER**
- (76) Inventor: **Seth Martinez**, 10940 S. Albany, Chicago, IL (US) 60655
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/214,441**
- (22) Filed: **Oct. 1, 2004**
- (51) **LOC (8) Cl.** ..... **07-01**
- (52) **U.S. Cl.** ..... **D7/606; D7/608; D7/625**
- (58) **Field of Classification Search** ..... D7/604–608, D7/619.1–625; 62/457.1–457.9, 530, 371, 62/372; 211/70.1, 74; 220/737, 739, 903, 220/906; 248/309.1, 311.2; 215/394–398  
See application file for complete search history.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS**
- 4,344,303 A \* 8/1982 Kelly, Jr. .... 62/530
- 5,467,891 A \* 11/1995 Perry ..... 220/739
- 6,045,839 A \* 4/2000 Somura ..... 62/457.3
- D457,786 S \* 5/2002 Wrob ..... D7/606

\* cited by examiner

*Primary Examiner*—Terry A. Wallace  
 (74) *Attorney, Agent, or Firm*—Sonnenschein Nath & Rosenthal LLP

(57) **CLAIM**

The ornamental design for a thermal sleeve for beverage container, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a design for a thermal sleeve for beverage container having the appearance of a crumpled brown bag embodying the principles of the present invention and showing, in phantom lines for environmental purposes, a 12 ounce long neck bottle beverage container; FIG. 2 is a rear elevational view of the thermal sleeve of FIG. 1; FIG. 3 is a right elevational view of the thermal sleeve of FIG. 1;

FIG. 4 is a left elevational view of the thermal sleeve of FIG. 1;  
 FIG. 5 is a plan view of the thermal sleeve of FIG. 1;  
 FIG. 6 is a bottom elevational view of the thermal sleeve of FIG. 1;  
 FIG. 7 is a partial sectional view of the thermal sleeve taken generally along the line 7—7 of FIG. 5.  
 FIG. 8 is a front elevational view of a design for a thermal sleeve for beverage container having the appearance of a crumpled brown bag embodying the principles of the present invention and showing, in phantom lines for environmental purposes, a 12 ounce aluminum can beverage container;  
 FIG. 9 is a rear elevational view of the thermal sleeve of FIG. 8;  
 FIG. 10 is a right elevational view of the thermal sleeve of FIG. 8;  
 FIG. 11 is a left elevational view of the thermal sleeve of FIG. 8;  
 FIG. 12 is a plan view of the thermal sleeve of FIG. 8;  
 FIG. 13 is a bottom elevational view of the thermal sleeve of FIG. 8;  
 FIG. 14 is a partial sectional view of the thermal sleeve taken generally along the line VII—VII of FIG. 12.  
 FIG. 15 is a front elevational view of a design for a thermal sleeve for beverage container having the appearance of a crumpled brown bag embodying the principles of the present invention and showing, in phantom lines for environmental purposes, a 30 ounce bottle beverage container;  
 FIG. 16 is a rear elevational view of the thermal sleeve of FIG. 15;  
 FIG. 17 is a right elevational view of the thermal sleeve of FIG. 15;  
 FIG. 18 is a left elevational view of the thermal sleeve of FIG. 15;  
 FIG. 19 is a plan view of the thermal sleeve of FIG. 15;  
 FIG. 20 is a bottom elevational view of the thermal sleeve of FIG. 15; and,  
 FIG. 21 is a partial sectional view of the thermal sleeve taken generally along the line 21 of FIG. 19.  
 The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6





FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13



FIG. 15




FIG. 16






FIG. 17




FIG. 18




FIG. 19




FIG. 21



FIG. 20

