



US00D514915S

(12) **United States Design Patent**  
**Wang**

(10) **Patent No.:** **US D514,915 S**

(45) **Date of Patent:** **\*\* Feb. 14, 2006**

(54) **CLAMP**

(76) **Inventor:** **Guei-Ying Wang**, Room 1, 7F., No. 288, Sec. 2, Chongde Rd., Taichung City (TW), 406

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/215,184**

(22) **Filed:** **Oct. 14, 2004**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/72**

(58) **Field of Classification Search** ..... D8/52,  
D8/54, 71-74, 394, 395; 81/320, 325, 300,  
81/328, 302, 314, 323, 324, 418, 421, 424,  
81/338, 392; 269/6, 96

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,502,804 A \* 4/1950 Spencer ..... 81/351

D473,776 S \* 4/2003 Hopper et al. .... D8/72

D481,606 S \* 11/2003 Ben-Gigi ..... D8/72

D485,481 S \* 1/2004 Wolff ..... D8/72

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—John Windmuller

(74) *Attorney, Agent, or Firm*—Charles E. Baxley

(57) **CLAIM**

The ornamental design for a clamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a clamp, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom view thereof.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7