



US00D514985S

(12) **United States Design Patent** (10) **Patent No.:** **US D514,985 S**
Nagashima (45) **Date of Patent:** **** Feb. 14, 2006**

(54) **SURFACE CONFIGURATION OF A VEHICLE, TOY AND/OR OTHER REPLICAS**

(75) Inventor: **Joji Nagashima**, Munich (DE)

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/217,910**

(22) Filed: **Nov. 24, 2004**

(30) **Foreign Application Priority Data**

May 27, 2004 (DE) 40403323

(51) **LOC (8) Cl.** **12-08**

(52) **U.S. Cl.** **D12/92**

(58) **Field of Classification Search** D12/90-92, D12/86, 88; D21/424, 433; 296/181.1, 181.5
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D458,561 S	*	6/2002	van Hooydonk	D12/92
D468,238 S	*	1/2003	Bhambra et al.	D12/92
D476,923 S	*	7/2003	Boyer	D12/92
D480,021 S	*	9/2003	Warming	D12/92
D483,298 S	*	12/2003	van Hooydonk	D12/92
D488,101 S	*	4/2004	Wakao et al.	D12/92
D500,709 S	*	1/2005	van Hooydonk	D12/92

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

DESCRIPTION

This application is related to the following co-pending applications, of the inventor, filed on even date herewith:

Application Ser. No. 29/217,909, entitled “Surface Configuration of a Hood for a Vehicle”; Application Ser. No. 29/217,908, entitled “Surface Configuration of a Trunk Lid for a Vehicle”; Application Ser. No. 29/217,897, entitled “Surface Configuration of Side Mirror for a Vehicle”; Application Ser. No. 29/217,896, entitled “Surface Configuration of a Front Bumper for a Vehicle”; Application Ser. No. 29/217,893, entitled “Surface Configuration of a Rear Bumper for a Vehicle”; Application Ser. No. 29/217,912, entitled “Surface Configuration of a Front Fender for a Vehicle”; Application Ser. No. 29/217,911, entitled “Surface Configuration of a Rear Fender for a Vehicle”; Application Ser. No. 29/217,894, entitled “Surface Configuration of a Side Door for a Vehicle”; and Application Ser. No. 29/217,895, entitled “Surface Configuration of a Side Door for a Vehicle”.

FIG. 1 is a left, front perspective view of a surface configuration of a vehicle, toy and/or other replicas according to my novel design, the right, front perspective view being mirror symmetrical;

FIG. 2 is a left, rear perspective view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 3 is a left side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 4 is a right side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;


FIG. 5 is a front view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 6 is a rear view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design; and,

FIG. 7 is a top view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7