

US00D515210S

(12) United States Design Patent (10) Patent No.:

US D515,210 S

(45) Date of Patent: ** *Feb. 14, 2006 Tarumi

| (54) | INJECTI | ON APPARATUS | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|
| (75) | Inventor: | Junichi Tarumi, Nishinomiya (JP) | | | | | | |
| (73) | Assignee: | Wet Trust Japan Co., Ltd., Osaka (JP) | | | | | | |
| (*) | Notice: | This patent is subject to a terminal disclaimer. | | | | | | |
| (**) | Term: | 14 Years | | | | | | |
| (21) | Appl. No.: | 29/211,767 | | | | | | |
| (22) | Filed: | Aug. 20, 2004 | | | | | | |
| (30) | Forei | gn Application Priority Data | | | | | | |
| Feb. 20, 2004 (JP) | | | | | | | | |
| (51) | LOC (8) | Cl 24-02 | | | | | | |
| ` ′ | | D24/114 | | | | | | |
| (58) | Field of Classification Search | | | | | | | |
| ` ' | | 024/114, 112, 108, 141; 222/386, 327, 325, | | | | | | |
| | | 222/286, 323; 604/155, 68, 104, 38, 310, | | | | | | |
| | 6 | 504/311, 218, 514, 515, 516, 517, 518, 223, | | | | | | |
| 604/275, 279, 285, 59, 60, 97.02 | | | | | | | | |
| | See application file for complete search history. | | | | | | | |

U.S. PATENT DOCUMENTS

| 1,554,690 A * | 9/1925 | Pride | 604/59 |
|---------------|--------|-------|--------|
|---------------|--------|-------|--------|

| 1,665,564 | A | * | 4/1928 | Reitz | 604/183 |
|-----------|------------|---|---------|--------|---------|
| 2,778,361 | A | * | 1/1957 | Huston | 604/59 |
| 6,478,764 | B 1 | * | 11/2002 | Suga | 604/15 |

FOREIGN PATENT DOCUMENTS

JP 60-79447 6/1985

* cited by examiner

Primary Examiner—Ian Simmons Assistant Examiner—Daniel Yu (74) Attorney, Agent, or Firm—Koda & Androlia

(57) **CLAIM**

The ornamental design for an injection apparatus, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view taken from the front and left side of the injection apparatus, showing my new design;


FIG. 2 is a front elevational view of the injection apparatus, the rear elevational view being a mirror image of the front elevational view, and the top plan view and the bottom plan view being respectively identical to the front elevational view;

FIG. 3 is a right side elevational view thereof; and,

FIG. 4 is a left side elevational view thereof.

1 Claim, 2 Drawing Sheets





Feb. 14, 2006

Fig.1




Fig.2




Fig.3




Fig.4

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : D515,210 S

APPLICATION NO. : 29/211767

DATED : February 14, 2006 INVENTOR(S) : Junichi Tarumi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Item (30) Foreign Application Priority Data:

Add --Feb. 20, 2004 (JP) 2004-004484--

Signed and Sealed this Twenty-ninth Day of May, 2012

David J. Kappos

Director of the United States Patent and Trademark Office