



US00D515388S

(12) **United States Design Patent**  
**Howard**

(10) **Patent No.:** **US D515,388 S**  
(45) **Date of Patent:** **\*\* Feb. 21, 2006**

(54) **SCREWDRIVER WITH A ROTATABLE END CAP**

(76) Inventor: **Westley W. Howard**, 12516 Brookhill Dr., Colorado Springs, CO (US) 80921

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/204,858**

(22) Filed: **May 5, 2004**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/173,340, filed on Dec. 27, 2002, now abandoned.

(51) **LOC (8) Cl.** ..... **08-04**

(52) **U.S. Cl.** ..... **D8/82**

(58) **Field of Classification Search** ..... D8/82,  
D8/83, 84, 85, 86, 87; 81/436, 438, 439,  
81/440, 489, 177.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D307,236 S	*	4/1990	Cascio et al. ....	D8/82
D323,449 S	*	1/1992	Corona et al. ....	D8/83
D340,633 S	*	10/1993	Badiali ....	D8/85
D382,188 S	*	8/1997	Lin ....	D8/85
D384,565 S	*	10/1997	Lin ....	D8/83
D414,095 S	*	9/1999	Hoepfl et al. ....	D8/83
D418,731 S	*	1/2000	Rowlay et al. ....	D8/85

D421,888 S	*	3/2000	Thompson et al. ....	D8/85
D425,388 S	*	5/2000	Lin ....	D8/87
D446,706 S	*	8/2001	Kalomeris et al. ....	D8/83
D449,505 S	*	10/2001	Glass et al. ....	D8/83

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Locke Liddell & Sapp LLP

(57) **CLAIM**

The ornamental design for a screwdriver with a rotatable end cap, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a screwdriver with a rotatable end cap showing my new design.

FIG. 2 is a perspective view of the same screwdriver showing an opening in the end cap.

FIG. 3 is a front-side view of the screwdriver.

FIG. 4 is a right-side view of the screwdriver, i.e., rotated axially 90° to the left relative to FIG. 3.

FIG. 5 is a left-side view of the screwdriver, i.e., rotated axially 90° to the right relative to FIG. 3.


FIG. 6 is a rear-side view of the screwdriver, i.e., rotated axially 180° relative to FIG. 3.


FIG. 7 is a top-end view of the screwdriver; and,

FIG. 8 is a bottom-end view of the screwdriver along the axis formed by the shaft.


The broken line showing of the bit is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**







**Figure 1**




**Figure 2**




**Figure 3**




**Figure 4**




**Figure 5**



**Figure 6**



**Figure 7**



**Figure 8**