



US00D515499S

(12) **United States Design Patent** (10) **Patent No.:** **US D515,499 S**  
**Matsuda et al.** (45) **Date of Patent:** **\*\* Feb. 21, 2006**

(54) **BATTERY FOR CAMCODER**  
(75) Inventors: **Minoru Matsuda**, Yokohama (JP);  
**Natsuku Hoshino**, Yokohama (JP)  
(73) Assignee: **Victor Company of Japan, Limited**,  
Yokohama (JP)  
(\*\*) Term: **14 Years**

D417,187 S \* 11/1999 Maeyama ..... D13/103  
D418,477 S \* 1/2000 Sunagawa et al. .... D13/104  
D425,476 S \* 5/2000 Campbell et al. .... D13/103  
D432,982 S \* 10/2000 Miyashita ..... D13/103  
D446,183 S \* 8/2001 Miyashita ..... D13/103  
D491,138 S \* 6/2004 Minato ..... D13/104  
D503,673 S \* 4/2005 Rosengrant ..... D13/103  
D503,922 S \* 4/2005 Shimizu ..... D13/103

(21) Appl. No.: **29/230,793**  
(22) Filed: **May 27, 2005**

**FOREIGN PATENT DOCUMENTS**

JP 904967-6 7/1999

**OTHER PUBLICATIONS**

Accessory Catalog 64 issued on Jul. 31, 1998.

\* cited by examiner

*Primary Examiner*—Jennifer Rivard  
*Assistant Examiner*—Rosemary Tarca  
(74) *Attorney, Agent, or Firm*—Nath & Associates PLLC;  
Gary M. Nath; Gregory B. Kang

**Related U.S. Application Data**

(62) Division of application No. 29/214,848, filed on Oct. 12, 2004.

(30) **Foreign Application Priority Data**

Jun. 23, 2004 (JP) ..... D2004-018687  
Jun. 23, 2004 (JP) ..... D2004-018688  
Jun. 23, 2004 (JP) ..... D2004-018689

(57) **CLAIM**

An ornamental design for a battery for camcorder, as shown and described.

(51) **LOC (8) Cl.** ..... **13-02**  
(52) **U.S. Cl.** ..... **D13/103**  
(58) **Field of Classification Search** ..... D13/102–106,  
D13/110, 118–119, 184; 429/96–100, 163,  
429/176

**DESCRIPTION**

FIG. 1 is a rear perspective view of a battery for camcorder;  
FIG. 2 is a front perspective view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is bottom view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a left side view thereof; and,  
FIG. 8 is a right side view thereof.

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D215,605 S \* 10/1969 Shmurak ..... D13/110  
D299,227 S \* 1/1989 Grannen, III ..... D13/104  
D377,477 S \* 1/1997 Harata et al. .... D13/103  
5,626,979 A \* 5/1997 Mitsui et al. .... 429/97  
D412,153 S \* 7/1999 Chen ..... D13/103

**1 Claim, 3 Drawing Sheets**




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7





Fig.8



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 515,499 S  
DATED : February 21, 2006  
INVENTOR(S) : Matsuda et al.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title page, showing as illustrative figure, should be deleted and substitute the attached title page.

Drawings.

Delete all drawing figures, and substitute the drawing sheets, consisting of the Figs. 1-8, as shown on the attached pages.

Signed and Sealed this

Thirteenth Day of June, 2006

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

*Director of the United States Patent and Trademark Office*

(12) **United States Design Patent** (10) **Patent No.:** **US D515,499 S**  
**Matsuda et al.** (45) **Date of Patent:** **\*\* Feb. 21, 2006**

(54) **BATTERY FOR CAMCODER**

(75) Inventors: **Minoru Matsuda**, Yokohama (JP);  
**Natsuku Hoshino**, Yokohama (JP)

(73) Assignee: **Victor Company of Japan, Limited**,  
 Yokohama (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/230,793**

(22) Filed: **May 27, 2005**

**Related U.S. Application Data**

(62) Division of application No. 29/214,848, filed on Oct. 12, 2004.

(30) **Foreign Application Priority Data**

Jun. 23, 2004 (JP) ..... D2004-018687  
 Jun. 23, 2004 (JP) ..... D2004-018688  
 Jun. 23, 2004 (JP) ..... D2004-018689

(51) **LOC (8) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/103**

(58) **Field of Classification Search** ..... D13/102-106,  
 D13/110, 118-119, 184; 429/96-100, 163,  
 429/176

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D215,605 S \* 10/1969 Shmurak ..... D13/110  
 D299,227 S \* 1/1989 Grannen, III ..... D13/104  
 D377,477 S \* 1/1997 Harata et al. .... D13/103  
 5,626,979 A \* 5/1997 Mitsui et al. .... 429/97  
 D412,153 S \* 7/1999 Chen ..... D13/103

D417,187 S \* 11/1999 Maeyama ..... D13/103  
 D418,477 S \* 1/2000 Sunagawa et al. .... D13/104  
 D425,476 S \* 5/2000 Campbell et al. .... D13/103  
 D432,982 S \* 10/2000 Miyashita ..... D13/103  
 D446,183 S \* 8/2001 Miyashita ..... D13/103  
 D491,138 S \* 6/2004 Minato ..... D13/104  
 D503,673 S \* 4/2005 Rosengrant ..... D13/103  
 D503,922 S \* 4/2005 Shimizu ..... D13/103

**FOREIGN PATENT DOCUMENTS**

JP 904967-6 7/1999

**OTHER PUBLICATIONS**

Accessory Catalog 64 issued on Jul. 31, 1998.

\* cited by examiner

*Primary Examiner*—Jennifer Rivard

*Assistant Examiner*—Rosemary Tarcza

(74) *Attorney, Agent, or Firm*—Nath & Associates PLLC;  
 Gary M. Nath; Gregory B. Kang

(57) **CLAIM**

An ornamental design for a battery for camcorder, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear perspective view of a battery for camcorder; FIG. 2 is a front perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is bottom view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a left side view thereof; and, FIG. 8 is a right side view thereof.

**1 Claim, 3 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4






Fig. 5




Fig. 6




Fig. 7





Fig. 8



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 515,499 S  
APPLICATION NO. : 29/230793  
DATED : February 21, 2006  
INVENTOR(S) : Matsuda et al.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title page, showing as illustrative figure, should be deleted and substitute the attached title page.

Drawings.

Delete all drawing figures, and substitute the drawing sheets, consisting of the Figs. 1-8, as shown on the attached pages.

This certificate supersedes Certificate of Correction issued June 13, 2006.

Signed and Sealed this

Seventh Day of August, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

*Director of the United States Patent and Trademark Office*

(12) **United States Design Patent** (10) Patent No.: **US D515,499 S**  
**Matsuda et al.** (45) Date of Patent: **\*\* Feb. 21, 2006**

(54) **BATTERY FOR CAMCODER**

(75) Inventors: Minoru Matsuda, Yokohama (JP);  
 Natsuku Hoshino, Yokohama (JP)

(73) Assignee: Victor Company of Japan, Limited,  
 Yokohama (JP)

(\*\*) Term: 14 Years

(21) Appl. No.: 29/230,793

(22) Filed: May 27, 2005

**Related U.S. Application Data**

(62) Division of application No. 29/214,848, filed on Oct. 12, 2004.

**(30) Foreign Application Priority Data**

Jun. 23, 2004 (JP) ..... D2004-018687  
 Jun. 23, 2004 (JP) ..... D2004-018688  
 Jun. 23, 2004 (JP) ..... D2004-018689

(51) LOC (8) Cl. .... 13-02

(52) U.S. Cl. .... D13/103

(58) Field of Classification Search ..... D13/102-106,  
 D13/110, 118-119, 184; 429/96-100, 163,  
 429/176

See application file for complete search history.

**(56) References Cited**

**U.S. PATENT DOCUMENTS**

D215,605 S \* 10/1969 Shimurak ..... D13/110  
 D299,227 S \* 1/1989 Grassco, III ..... D13/104  
 D377,477 S \* 1/1997 Harata et al. .... D13/103  
 5,626,979 A \* 5/1997 Mitsui et al. .... 429/97  
 D412,153 S \* 7/1999 Chen ..... D13/103

D417,187 S \* 11/1999 Maeyama ..... D13/103  
 D418,477 S \* 1/2000 Sunagawa et al. .... D13/104  
 D425,476 S \* 5/2000 Campbell et al. .... D13/103  
 D432,982 S \* 10/2000 Miyashita ..... D13/103  
 D446,183 S \* 8/2001 Miyashita ..... D13/103  
 D491,138 S \* 6/2004 Minato ..... D13/104  
 D503,673 S \* 4/2005 Rosengrant ..... D13/103  
 D503,922 S \* 4/2005 Shimizu ..... D13/103

**FOREIGN PATENT DOCUMENTS**

JP 904967-6 7/1999

**OTHER PUBLICATIONS**

Accessory Catalog 64 issued on Jul. 31, 1998.

\* cited by examiner

*Primary Examiner*—Jennifer Rivard

*Assistant Examiner*—Rosemary Tarca

(74) *Attorney, Agent, or Firm*—Nath & Associates PLLC,  
 Gary M. Nath; Gregory B. Kang

**(57) CLAIM**

An ornamental design for a battery for camcorder, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear perspective view of a battery for camcorder;  
 FIG. 2 is a front perspective view thereof;  
 FIG. 3 is a front view thereof;  
 FIG. 4 is a rear view thereof;  
 FIG. 5 is bottom view thereof;  
 FIG. 6 is a top plan view thereof;  
 FIG. 7 is a left side view thereof; and,  
 FIG. 8 is a right side view thereof.

1 Claim, 3 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5



Fig.6




Fig.7




Fig.8



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 515,499 S  
APPLICATION NO. : 29/230793  
DATED : February 21, 2006  
INVENTOR(S) : Matsuda et al.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title page, showing as illustrative figure, should be deleted and substitute the attached title page.

Drawings.

Delete all drawing figures, and substitute the drawing sheets, consisting of the Figs. 1-8, as shown on the attached pages.

This certificate supersedes Certificate of Correction issued June 13, 2006 and August 7, 2007.

Signed and Sealed this

Twenty-eighth Day of August, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive, stylized script.

JON W. DUDAS

*Director of the United States Patent and Trademark Office*

(12) **United States Design Patent** (10) Patent No.: **US D515,499 S**  
**Matsuda et al.** (45) Date of Patent: **\*\* Feb. 21, 2006**

(54) **BATTERY FOR CAMCODER**

(75) Inventors: **Minoru Matsuda, Yokohama (JP);  
 Natsuku Hoshino, Yokohama (JP)**

(73) Assignee: **Victor Company of Japan, Limited,  
 Yokohama (JP)**

(\*\*) Term: **14 Years**

(31) Appl. No.: **29/230,793**

(22) Filed: **May 27, 2005**

**Related U.S. Application Data**

(62) Division of application No. **29/214,848**, filed on Oct. 12, 2004.

(30) **Foreign Application Priority Data**

Jun. 23, 2004 (JP) ..... **D2004-018687**  
 Jun. 23, 2004 (JP) ..... **D2004-018688**  
 Jun. 23, 2004 (JP) ..... **D2004-018689**

(51) LOC (8) Cl. .... **13-02**

(52) U.S. Cl. .... **D13/103**

(58) Field of Classification Search ..... **D13/102-106,  
 D13/110, 118-119, 184; 429/96-100, 163,  
 429/176**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D215,605 S \* 10/1969 Shimura ..... **D13/110**  
 D299,227 S \* 1/1989 Grassie, III ..... **D13/104**  
 D377,477 S \* 1/1997 Harata et al. .... **D13/103**  
 5,626,979 A \* 5/1997 Mitsui et al. .... **429/97**  
 D412,153 S \* 7/1999 Chen ..... **D13/103**

D417,187 S \* 11/1999 Maeyama ..... **D13/103**  
 D418,477 S \* 1/2000 Sunagawa et al. .... **D13/104**  
 D425,476 S \* 5/2000 Campbell et al. .... **D13/103**  
 D432,982 S \* 10/2000 Miyashita ..... **D13/103**  
 D446,183 S \* 8/2001 Miyashita ..... **D13/103**  
 D491,138 S \* 6/2004 Minato ..... **D13/104**  
 D503,673 S \* 4/2005 Rosengrant ..... **D13/103**  
 D503,922 S \* 4/2005 Shimizu ..... **D13/103**

**FOREIGN PATENT DOCUMENTS**

JP 904967-6 7/1999

**OTHER PUBLICATIONS**

Accessory Catalog 64 issued on Jul. 31, 1998.

\* cited by examiner

*Primary Examiner*—Jennifer Rivard

*Assistant Examiner*—Rosemary Tarca

(74) *Attorney, Agent, or Firm*—Nath & Associates PLLC,  
 Gary M. Nath; Gregory B. Kang

(57) **CLAIM**

An ornamental design for a battery for camcorder, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear perspective view of a battery for camcorder;  
 FIG. 2 is a front perspective view thereof;  
 FIG. 3 is a front view thereof;  
 FIG. 4 is a rear view thereof;  
 FIG. 5 is bottom view thereof;  
 FIG. 6 is a top plan view thereof;  
 FIG. 7 is a left side view thereof; and,  
 FIG. 8 is a right side view thereof.

**1 Claim, 3 Drawing Sheets**






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5



Fig.6




Fig.7

Fig.8

