



US00D515923S

(12) **United States Design Patent** (10) **Patent No.:** **US D515,923 S**  
**Pitman et al.** (45) **Date of Patent:** **\*\* \*Feb. 28, 2006**

(54) **CLOSURE CAP** 5,749,201 A 5/1998 Cochrane  
5,884,790 A 3/1999 Seidita  
(75) Inventors: **Kelvin Pitman**, Bubendorf (CH); **Udo Boesl**, Eilmeldingen (DE); **Patrick Habersaat**, Reinach (CH) D415,684 S \* 10/1999 Reidenbach ..... D9/453  
6,006,933 A 12/1999 Henning et al.  
D418,757 S 1/2000 Reidenbach  
D419,071 S \* 1/2000 Peters et al. .... D9/453  
D420,916 S \* 2/2000 Ohmi et al. .... D9/453  
(73) Assignee: **Crown Cork & Seal Technologies, Corporation**, Alsip, IL (US) 6,116,443 A 9/2000 Parrinello  
D433,820 S \* 11/2000 Haarer et al. .... D9/453  
D448,297 S 9/2001 Sindermann  
(\* ) Notice: This patent is subject to a terminal disclaimer. D457,431 S \* 5/2002 Brant et al. .... D9/454  
6,457,299 B1 10/2002 Schwenke et al.  
(\*\* ) Term: **14 Years** 6,502,369 B1 1/2003 Andison et al.  
D470,413 S \* 2/2003 Seidita ..... D9/452

(21) Appl. No.: **29/185,634**

(22) Filed: **Jul. 1, 2003**

(51) **LOC (8) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/453**

(58) **Field of Classification Search** ..... D9/448,  
D9/434, 435, 450, 452, 453, 454; 215/200,  
215/208, 214, 217, 328, 329, 337; D24/197-199  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

928,872 A 7/1909 Lyon  
D48,033 S 10/1915 Kaye  
1,170,160 A 2/1916 Ingram et al.  
1,722,587 A 7/1929 McDonnell  
2,792,957 A 5/1957 Rodriguez  
D204,508 S 4/1966 Brockett  
3,281,001 A 10/1966 Stuart  
D242,773 S \* 12/1976 Licari et al. .... D9/448  
4,055,266 A 10/1977 Amabili  
4,402,415 A 9/1983 Hopely  
5,090,581 A 2/1992 Rose et al.  
5,263,600 A 11/1993 Henning  
5,415,306 A 5/1995 Luch et al.  
5,715,959 A 2/1998 Pfefferkorn et al.

**FOREIGN PATENT DOCUMENTS**

WO DM/052170 \* 5/2000  
WO DM/057655 \* 10/2001  
WO DM/058766 \* 2/2002  
WO DM/063888 \* 6/2003

\* cited by examiner

*Primary Examiner*—Robert M. Spear  
*Assistant Examiner*—Susan Bennett Hattan  
(74) *Attorney, Agent, or Firm*—Knoble Yoshida & Dunleavy, LLC


(57) **CLAIM**

The ornamental design for a “closure cap,” as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing our new design; FIG. 2 is a first side elevational view; FIG. 3 is a second side elevational view; FIG. 4 is a top plan view; and, FIG. 5 is a bottom plan view. The broken lines in the drawings depict probable environment only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5