



US00D515955S

(12) **United States Design Patent**
Edwards

(10) **Patent No.: US D515,955 S**
(45) **Date of Patent: ** Feb. 28, 2006**

(54) **REMOTE CONTROL LOCATOR DEVICE**

(76) **Inventor: Grace E. Edwards, 3820 NW. 122nd Ter., Sunrise, FL (US) 33323**

(**) **Term: 14 Years**

(21) **Appl. No.: 29/214,055**

(22) **Filed: Sep. 25, 2004**

(51) **LOC (8) Cl. 10-05**

(52) **U.S. Cl. D10/104**

(58) **Field of Classification Search D21/329; D14/217, 137, 138; D13/168; D10/104, 106; D3/230, 280; 455/84, 128; 374/141; 340/573.1, 340/539.15, 573.4, 426.25, 426.24, 426.21, 340/426.19, 426.1, 825.36; 206/305**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-------------|----------|-----------------|---------|
| D348,410 S | 7/1994 | Adams | |
| D358,785 S | * 5/1995 | Flick | D10/104 |
| D362,695 S | * 9/1995 | Waldhelm | D21/513 |
| 5,598,143 A | 1/1997 | Wentz | |
| 5,926,090 A | 7/1999 | Taylor | |
| D413,579 S | * 9/1999 | Mullet et al. | D13/168 |
| D419,160 S | * 1/2000 | Davidson et al. | D14/253 |
| D436,083 S | * 1/2001 | Kishita et al. | D13/168 |

| | | | |
|-----------------|-----------|-------------------|------------|
| 6,201,378 B1 | 3/2001 | Eto et al. | |
| 6,324,261 B1 | * 11/2001 | Merte | 379/68 |
| D468,274 S | * 1/2003 | Novak | D13/168 |
| 6,535,125 B2 | 3/2003 | Trivett | |
| 6,573,832 B1 | * 6/2003 | Fugere-Ramirez | 340/825.36 |
| 6,785,566 B1 | * 8/2004 | Irizarry | 455/575.8 |
| 6,786,332 B1 | * 9/2004 | Patrick et al. | 206/305 |
| D497,881 S | * 11/2004 | Rishar | D13/168 |
| 6,848,662 B2 | * 2/2005 | Paramonoff et al. | 248/309.1 |
| D503,687 S | * 4/2005 | Hoffman | D13/168 |
| 2002/0024449 A1 | 2/2002 | Trivett | |

* cited by examiner

Primary Examiner—Cathron C. Brooks
Assistant Examiner—Austin Murphy
(74) *Attorney, Agent, or Firm*—Lawrence J. Gibney, J


(57) **CLAIM**

The ornamental design for remote control locator device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the remote control and locator. FIG. 2 is a rear view of the remote control and locator. FIG. 3 is a right side view of the remote control and locator. FIG. 4 is a left side view of the remote control and locator. FIG. 5 is a top view of the remote control and locator; and, FIG. 6 is a bottom view of the remote control and locator.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6