



US00D515959S

(12) **United States Design Patent** (10) **Patent No.:** **US D515,959 S**  
**Nelson et al.** (45) **Date of Patent:** **\*\* Feb. 28, 2006**

(54) **POWER FAILURE RECEPTACLE WARNING LIGHT**

(75) Inventors: **Russel J. Nelson**, Crystal Lake, IL (US); **Jeffery K. Bovee**, Richmond, IL (US)

(73) Assignee: **Intermatic Incorporated**, Spring Grove, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/231,935**

(22) Filed: **Jun. 10, 2005**

(51) **LOC (8) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/114; D26/26**

(58) **Field of Classification Search** ..... D26/87, D26/86, 85, 82, 79, 78, 76, 75, 72, 26; D13/160, D13/139.6, 139.3, 139.1; D10/114; 439/651, 439/650, 539, 538, 107; 362/95, 20; 361/42, 361/43; 174/67, 66, 53

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,739,226 A 6/1973 Seiter et al.
- D254,514 S \* 3/1980 Nicholl et al. .... D26/26
- D269,431 S \* 6/1983 Doyle et al. .... D13/139.3
- D273,048 S \* 3/1984 Chan ..... D26/37
- D274,368 S \* 6/1984 Skarman ..... D26/26
- 4,514,789 A 4/1985 Jester
- 4,631,649 A 12/1986 McCue et al.
- D288,245 S \* 2/1987 Corder et al. .... D26/26
- D343,018 S \* 1/1994 Garrity ..... D26/37
- D347,594 S \* 6/1994 Davis et al. .... D10/104

- 5,473,517 A 12/1995 Blackman
- 5,713,655 A 2/1998 Blackman
- 5,833,350 A 11/1998 Moreland
- 5,851,061 A 12/1998 Hegarty
- D413,862 S \* 9/1999 Huang et al. .... D13/139.3
- 6,000,807 A 12/1999 Moreland
- 6,010,228 A 1/2000 Blackman et al.
- 6,045,232 A 4/2000 Buckmaster
- D429,694 S \* 8/2000 Schlessinger et al. .... D13/154
- 6,095,850 A \* 8/2000 Liu ..... 439/488
- 6,437,700 B1 8/2002 Herzfeld et al.
- 6,805,469 B1 10/2004 Barton
- 2004/0218379 A1 11/2004 Barton
- 2005/0012633 A1 1/2005 Yoon
- 2005/0030685 A1 \* 2/2005 DiSalvo ..... 361/42

\* cited by examiner

*Primary Examiner*—Cathron C. Brooks

*Assistant Examiner*—Austin Murphy

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione


(57) **CLAIM**

We claim the ornamental design for a power failure receptacle warning light, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a power failure receptacle warning light of the present invention;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a rear view thereof;  
 FIG. 4 is a first side view thereof;  
 FIG. 5 is a second side view thereof;  
 FIG. 6 is a third side view thereof; and,  
 FIG. 7 is a fourth side view thereof.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7