



US00D516129S

(12) **United States Design Patent**
Combos

(10) **Patent No.:** **US D516,129 S**
(45) **Date of Patent:** **** Feb. 28, 2006**

(54) **BINOMIAL DIE**

(75) Inventor: **Jeffrey A. Combos**, Seattle, WA (US)

(73) Assignee: **Excile Game Studio, LLC**, Seattle, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/213,211**

(22) Filed: **Sep. 14, 2004**

(51) **LOC (8) Cl.** **21-01**

(52) **U.S. Cl.** **D21/373**

(58) **Field of Classification Search** D21/369,
D21/372-373, 385-386; 273/236-385, 146
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,198,523	A	*	8/1965	Stimson	273/146
3,233,343	A	*	2/1966	Short	273/146
4,436,306	A	*	3/1984	Sanders	273/146
D383,799	S	*	9/1997	Beaumier et al.	D21/373
5,839,725	A	*	11/1998	Conway	273/146
6,116,603	A	*	9/2000	Huang	273/146
D439,932	S	*	4/2001	Shillings	D21/373

OTHER PUBLICATIONS

Koplow Games Catalog, p. 11, Dice 45-MN01ROP WHBK.*

* cited by examiner

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Jeffrey P. Aiello

(57) **CLAIM**

The ornamental design for a binomial die, as shown and described.

DESCRIPTION

FIG. 1 is a left side perspective view of a first embodiment of the new binomial die;

FIG. 2 is a top plan view of the first embodiment thereof;

FIG. 3 is a front view of the first embodiment thereof;

FIG. 4 is a right side elevational view of the first embodiment thereof;

FIG. 5 is a back view of the first embodiment thereof;

FIG. 6 is a left side elevational view of the first embodiment thereof;

FIG. 7 is a bottom plan view of the first embodiment thereof;

FIG. 8 is a left side perspective view of a second embodiment of the new binomial die;

FIG. 9 is a top plan view of the second embodiment thereof;

FIG. 10 is a front view of the second embodiment thereof;

FIG. 11 is a right side elevational view of the second embodiment thereof;

FIG. 12 is a back view of the second embodiment thereof;

FIG. 13 is a left side elevational view of the second embodiment thereof;

FIG. 14 is a bottom plan view of the second embodiment thereof;

FIG. 15 is a left side perspective view of a third embodiment of the new binomial die;

FIG. 16 is a top plan view of the third embodiment thereof;

FIG. 17 is a front view of the third embodiment thereof;

FIG. 18 is a right side elevational view of the third embodiment thereof;


FIG. 19 is a back view of the third embodiment thereof;

FIG. 20 is a left side elevational view of the third embodiment thereof;

FIG. 21 is a bottom plan view of the third embodiment thereof; and,

FIG. 22 is a left side perspective view of the first embodiment, the second embodiment, and the third embodiment of the new binomial die of the present invention.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 3




FIG. 6




FIG. 2




FIG. 4




FIG. 5




FIG. 7




FIG. 8




FIG. 10




FIG. 13




FIG. 9




FIG. 11




FIG. 12




FIG. 14




FIG. 15




FIG. 17




FIG. 20




FIG. 16




FIG. 18




FIG. 19




FIG. 21




FIG. 22