



US00D516236S

(12) **United States Design Patent**  
**Yeh**

(10) **Patent No.:** **US D516,236 S**  
(45) **Date of Patent:** **\*\* Feb. 28, 2006**

(54) **ILLUMINATION DEVICE**

(76) **Inventor:** **Peter Yeh**, No. 10, Lane 808,  
Chungshan Rd., Hsinhua Chen, Tainan  
Hsien (TW)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/193,484**

(22) **Filed:** **Nov. 10, 2003**

(51) **LOC (8) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/89**

(58) **Field of Classification Search** ..... D26/72-91,  
D26/122-124; 362/147, 214, 218, 220-223,  
362/351, 362, 363, 404-408, 419, 432  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D180,534 S	*	6/1957	Stevens	.....	D26/76
D180,535 S	*	6/1957	Stevens	.....	D26/24
3,087,577 A	*	4/1963	Prestia	.....	D26/122
D205,957 S	*	10/1966	Nagel	.....	D26/28
D216,151 S	*	11/1969	Cox	.....	D26/123
D330,268 S	*	10/1992	Jaksich	.....	D26/74
D341,902 S	*	11/1993	Claytor	.....	D26/122
D457,981 S	*	5/2002	Yeh	.....	D26/76
D496,487 S	*	9/2004	Rhee	.....	D26/89

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Alan D. Kamrath; Nikolai & Mersereau, P.A.

(57) **CLAIM**

The ornamental design for an illumination device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of an illumination device, showing my new design;

FIG. 2 is a front elevational view of the first embodiment;

FIG. 3 is a rear elevational view of the first embodiment;

FIG. 4 is a left elevational view of the first embodiment;

FIG. 5 is a right elevational view of the first embodiment;

FIG. 6 is a top plan view of the first embodiment;

FIG. 7 is a bottom plan view of the first embodiment; and

FIG. 8 is a referenced drawing showing the first embodiment with a fingerprint pattern formed on the inner face of the lampshade;

FIG. 9 is a perspective view of a second embodiment of an illumination device, showing my new design;

FIG. 10 is a front elevational view of the second embodiment;

FIG. 11 is a rear elevational view of the second embodiment;

FIG. 12 is a left elevational view of the second embodiment;



FIG. 13 is a right elevational view of the second embodiment;


FIG. 14 is a top plan view of the second embodiment;

FIG. 15 is a bottom plan view of the second embodiment; and,


FIG. 16 is a referenced drawing showing the second embodiment with a fingerprint pattern formed on the inner face of the lampshade.

**1 Claim, 9 Drawing Sheets**







**FIG.1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG.6**




**FIG. 7**




**FIG. 8**




**FIG.9**




**FIG. 12**



**FIG. 13**




**FIG. 10**




**FIG. 11**




**FIG.14**



**FIG.15**





**FIG.16**