



US00D516242S

(12) **United States Design Patent**
Habibi

(10) **Patent No.:** **US D516,242 S**
(45) **Date of Patent:** **** Feb. 28, 2006**

(54) **HEATED HAIR STYLER**
(76) **Inventor:** **Masood Habibi**, P.O. Box 71104, Los Angeles, CA (US) 90071

5,294,777 A 3/1994 Denhup
5,400,809 A 3/1995 Adams
5,799,671 A 9/1998 Takimae

(Continued)

(**) **Term:** **14 Years**

FOREIGN PATENT DOCUMENTS

(21) **Appl. No.:** **29/221,125**

JP 58-92311 1/1983
JP 09191920 7/1997

(22) **Filed:** **Jan. 7, 2005**

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—David B. Ritchie; Thelen Reid & Priest LLP

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/177,850, filed on Mar. 14, 2003, now Pat. No. Des. 501,275, and a continuation-in-part of application No. 10/390,579, filed on Mar. 14, 2003.

(57) **CLAIM**

The ornamental design for a heated hair styler, as shown and described.

(51) **LOC (8) Cl.** **28-03**

(52) **U.S. Cl.** **D28/35**

(58) **Field of Classification Search** D28/35-37;
132/223-226, 229, 232, 269, 271; 219/222,
219/225, 226

DESCRIPTION

See application file for complete search history.


FIG. 1 is a front left side perspective drawing of the heated hair styler having a bottom element and a top element hingedly coupled together in a disengaged state.
FIG. 2 is a right side elevation of the heated hair styler in a partly engaged state.
FIG. 3 is a left side elevation of the heated hair styler in a partly engaged state.
FIG. 4 is a toy front perspective drawing of the heated hair styler in a disengaged state.
FIG. 5 is a top rear perspective drawing of the heated hair styler in a disengaged state.
FIG. 6 is a left side elevation of the heated hair styler in a disengaged state.
FIG. 7 is a right side elevation of the heated hair styler in a disengaged state.
FIG. 8 is a bottom plan view of the heated hair styler.
FIG. 9 is a top plan view of the heated hair styler.
FIG. 10 is a perspective view of a pin bearing hair contact plate associated with the bottom element of the heated hair styler; and,
FIG. 11 is a perspective of an apertured hair contact plate associated with the top element of the heated hair styler.
The plates in FIGS. 10 and 11 are disclosed separately for convenience of illustration.

(56) **References Cited**

U.S. PATENT DOCUMENTS

190,960 A	5/1877	Davis
1,465,838 A	8/1923	Caneavri
1,588,241 A	6/1926	Leland
1,731,522 A	10/1929	Carlson
1,852,269 A	4/1932	Siers
1,858,851 A	5/1932	Buchanan
1,892,107 A	12/1932	Jancke et al.
1,894,431 A	7/1933	Vaghelatos
1,926,987 A	9/1933	Durham et al.
1,957,049 A	5/1934	Lakenbach
2,244,068 A	6/1941	Kay
2,720,207 A	10/1955	Burnett
2,818,869 A	1/1958	Rose
3,108,603 A	10/1963	Mobberley
4,623,779 A	11/1986	Raab
4,739,151 A	4/1988	Smal
4,917,078 A	4/1990	Zaborowski
5,212,366 A	5/1993	McDougall
5,232,137 A	8/1993	Devine
5,263,501 A	11/1993	Maznik

1 Claim, 6 Drawing Sheets



US D516,242 S

Page 2

U.S. PATENT DOCUMENTS

5,868,146 A *	2/1999	Henninger et al.	132/232	6,223,753 B1	5/2001	Lo	
D411,333 S	6/1999	Smal			6,477,732 B1	11/2002	Cline et al.	
5,934,293 A	8/1999	Kaizuka			D479,626 S *	9/2003	Colombo D28/35
6,029,677 A	2/2000	Nanba et al.			D482,491 S	11/2003	Maesawa et al.	
6,070,596 A *	6/2000	Altamore	132/224	D489,482 S *	5/2004	Cho D28/35
6,119,702 A	9/2000	Habibi			D501,275 S	1/2005	Habibi	
6,191,387 B1	2/2001	Smal			2004/0003824 A1 *	1/2004	Habibi 132/224
D440,710 S	4/2001	Kaizuka						

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11