

US00D516313S

(12) **United States Design Patent** (10) **Patent No.:** **US D516,313 S**  
**Pavli** (45) **Date of Patent:** **\*\* Mar. 7, 2006**

(54) **COLLAPSIBLE CONTAINER**

(75) Inventor: **Colin Pavli**, Nunawading (AU)

(73) Assignee: **Supertrim (South Eastern) PTY LTD**,  
Nunawading (AU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/210,035**

(22) Filed: **Jul. 26, 2004**

(30) **Foreign Application Priority Data**

May 21, 2004 (AU) ..... 1925/2004

(51) **LOC (8) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/304; D3/305; D3/313**

(58) **Field of Classification Search** ..... **D3/20,**  
**D3/26, 201, 203.3, 304-315; D19/75, 77,**  
**D19/90, 100; 206/203, 214, 215, 307.1, 555,**  
**206/561, 557, 822; 211/132.1; 229/100, 103,**  
**229/928, 913, 406**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D140,097 S \* 1/1945 Koch ..... D3/299  
D261,826 S \* 11/1981 Webb ..... D3/299  
4,776,477 A \* 10/1988 Walker ..... 220/4.28  
5,984,120 A \* 11/1999 Johnske ..... 211/132.1  
D494,760 S \* 8/2004 Yuan ..... D3/313

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes  
*Assistant Examiner*—John Windmuller

(74) *Attorney, Agent, or Firm*—Senniger Powers Leavitt  
and Roedel

(57) **CLAIM**

The ornamental design for a collapsible container, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the collapsible container in  
a folded condition;

FIG. 2 is a perspective view of the collapsible container of  
FIG. 1 in a partly erected condition;

FIG. 3 is a view of the container of FIG. 1 in a more fully  
erected condition;

FIG. 4 is a perspective view of the collapsible container in  
a fully erected condition;

FIG. 5 is a perspective view from the opposite end to that  
shown in FIG. 4;

FIG. 6 is a perspective view of the collapsible container in  
the fully erected condition from below;

FIG. 7 is an end view of the collapsible container in the fully  
erected condition;

FIG. 8 is an end view from the other end of the collapsible  
container in a fully erected condition;


FIG. 9 is a front view of the collapsible container in a fully  
erected condition;

FIG. 10 is rear view of the collapsible container in a fully  
erected condition;

FIG. 11 is a top view of the collapsible container in a fully  
erected condition; and,

FIG. 12 is a bottom view of the collapsible container in a  
fully erected condition.

**1 Claim, 6 Drawing Sheets**






Fig 1




Fig 2









Fig 3










Fig 9




Fig 10




Fig 11




Fig 12