



US00D516313S

(12) **United States Design Patent**
Pavli

(10) **Patent No.:** **US D516,313 S**
(45) **Date of Patent:** **** Mar. 7, 2006**

(54) **COLLAPSIBLE CONTAINER**

(75) Inventor: **Colin Pavli**, Nunawading (AU)

(73) Assignee: **Supertrim (South Eastern) PTY LTD**,
Nunawading (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/210,035**

(22) Filed: **Jul. 26, 2004**

(30) **Foreign Application Priority Data**

May 21, 2004 (AU) 1925/2004

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/304; D3/305; D3/313**

(58) **Field of Classification Search** D3/20,
D3/26, 201, 203.3, 304-315; D19/75, 77,
D19/90, 100; 206/203, 214, 215, 307.1, 555,
206/561, 557, 822; 211/132.1; 229/100, 103,
229/928, 913, 406

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D140,097 S * 1/1945 Koch D3/299
D261,826 S * 11/1981 Webb D3/299
4,776,477 A * 10/1988 Walker 220/4.28
5,984,120 A * 11/1999 Johnske 211/132.1
D494,760 S * 8/2004 Yuan D3/313

* cited by examiner

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—Senniger Powers Leavitt
and Roedel

(57) **CLAIM**

The ornamental design for a collapsible container, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of the collapsible container in
a folded condition;

FIG. 2 is a perspective view of the collapsible container of
FIG. 1 in a partly erected condition;

FIG. 3 is a view of the container of FIG. 1 in a more fully
erected condition;

FIG. 4 is a perspective view of the collapsible container in
a fully erected condition;

FIG. 5 is a perspective view from the opposite end to that
shown in FIG. 4;

FIG. 6 is a perspective view of the collapsible container in
the fully erected condition from below;

FIG. 7 is an end view of the collapsible container in the fully
erected condition;

FIG. 8 is an end view from the other end of the collapsible
container in a fully erected condition;


FIG. 9 is a front view of the collapsible container in a fully
erected condition;

FIG. 10 is rear view of the collapsible container in a fully
erected condition;

FIG. 11 is a top view of the collapsible container in a fully
erected condition; and,

FIG. 12 is a bottom view of the collapsible container in a
fully erected condition.

1 Claim, 6 Drawing Sheets






Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6




Fig 7




Fig 8




Fig 9




Fig 10




Fig 11




Fig 12