



US00D516327S

(12) **United States Design Patent**  
**Murphy**

(10) **Patent No.:** **US D516,327 S**  
(45) **Date of Patent:** **\*\* Mar. 7, 2006**

(54) **VEHICLE SEAT**

(75) Inventor: **Matthew T. Murphy**, Elkhorn, WI  
(US)

(73) Assignee: **Milsco Manufacturing, a Unit of**  
**Jason Incorporated**, Milwaukee, WI  
(US)

(\*\*) **Term:** **14 Years**

(21) Appl. No.: **29/220,753**

(22) Filed: **Jan. 5, 2005**

**Related U.S. Application Data**

(63) Continuation of application No. 29/192,102, filed on Oct. 17, 2003, now abandoned.

(51) **LOC (8) Cl.** ..... **06-01**

(52) **U.S. Cl.** ..... **D6/356**

(58) **Field of Classification Search** ..... D6/334-336,  
D6/356, 366, 367, 368, 374, 375, 379, 500-502;  
297/344.1, 452.1, 452.21, 452.24, 452.25,  
297/452.26, 452.29, 452.34, 452.35, 452.36,  
297/353, 373, 411.2, 411.25, 411.3  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D218,028 S	*	7/1970	Lohr	.....	D6/356
4,165,901 A		8/1979	Swenson et al.		
4,593,875 A		6/1986	Hill		
4,707,027 A		11/1987	Horvath et al.		
4,709,963 A		12/1987	Uecker et al.		
4,836,609 A		6/1989	Hill		
4,838,514 A		6/1989	Hill		
D308,605 S		6/1990	Uecker et al.		
5,127,621 A		7/1992	Uecker et al.		

D332,181 S	*	1/1993	Sacco et al.	.....	D6/356
D358,262 S	*	5/1995	Smoczynski	.....	D6/356
D362,126 S		9/1995	Carter		
D371,008 S		6/1996	Stulik		
D394,756 S		6/1998	Gryp et al.		
5,823,624 A		10/1998	Dahlbacka		
D428,719 S		8/2000	Fick et al.		
6,343,839 B1		2/2002	Simons et al.		
D482,880 S		12/2003	Murphy		
D482,881 S		12/2003	Murphy		
D482,882 S		12/2003	Murphy		
D483,191 S		12/2003	Murphy		

\* cited by examiner

*Primary Examiner*—Mimosa De

(74) *Attorney, Agent, or Firm*—Boyle Fredrickson  
Newholm Stein & Gratz S.C.


(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a new vehicle seat in accordance with the present invention;  
FIG. 2 is a front elevational view of the vehicle seat of FIG. 1;  
FIG. 3 is a top plan view of the vehicle seat of FIG. 1;  
FIG. 4 is a left side elevational view of the vehicle seat of FIG. 1;  
FIG. 5 is a right side elevational view of the vehicle seat of FIG. 1;  
FIG. 6 is a back elevational view of the vehicle seat of FIG. 1; and,  
FIG. 7 is a bottom plan view of the vehicle seat of FIG. 1.  
The broken lines shown in the drawing form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1

FIG. 2





FIG. 3









FIG. 6




FIG. 7

