



US00D516408S

(12) **United States Design Patent** (10) **Patent No.:** **US D516,408 S**
Kearns et al. (45) **Date of Patent:** **** Mar. 7, 2006**

(54) **LOCK**
(75) Inventors: **Dave Kearns**, Hartford, WI (US); **Paul Peot**, Mequon, WI (US); **Mark Van Handel**, Milwaukee, WI (US)
(73) Assignee: **Master Lock Company**, Oak Creek, WI (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/217,122**
(22) Filed: **Nov. 12, 2004**
(51) **LOC (8) Cl.** **08-07**
(52) **U.S. Cl.** **D8/334**
(58) **Field of Classification Search** D8/330,
D8/331, 333, 334, 336, 339; 70/20, 24-29,
70/31, 35, 38 R, 42-48
See application file for complete search history.

5,901,587 A * 5/1999 Chen 70/28
5,918,489 A * 7/1999 Yang 70/28
5,921,123 A 7/1999 Schwarzkopf et al.
D423,323 S 4/2000 Fiegenger et al.
D423,906 S 5/2000 Fiegenger et al.
D423,907 S 5/2000 Fiegenger et al.
D425,397 S 5/2000 Fiegenger et al.
D425,398 S 5/2000 Fiegenger et al.
D426,763 S * 6/2000 Adler et al. D8/334
D428,794 S 8/2000 Fiegenger et al.
D429,993 S * 8/2000 Liu D8/334
D432,391 S 10/2000 Heppner
D439,823 S * 4/2001 Adler et al. D8/334
6,305,198 B1 10/2001 Chastain et al.
D482,594 S * 11/2003 Ling D6/331
D484,777 S 1/2004 Ruan

OTHER PUBLICATIONS

Master Lock, No. 187 Padlocks Product Description, Master Lock web site.

* cited by examiner

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold LLP

(56) **References Cited**
U.S. PATENT DOCUMENTS

55,167 A 5/1866 Saladee
816,492 A 3/1906 Mohr
1,016,455 A 2/1912 Stone
1,103,015 A 7/1914 Andrus
1,490,453 A 4/1924 Caldwell
1,581,953 A 4/1926 Jackson
D82,115 S 9/1930 Smith
D144,684 S 5/1946 Bouhall
3,260,079 A 7/1966 Caskey
D231,895 S 6/1974 Stolarz
4,905,486 A 3/1990 Appelbaum
D315,090 S * 3/1991 Pedersen D8/334
4,998,423 A 3/1991 Hsu
5,044,180 A 9/1991 Lebrecht
D342,009 S 12/1993 Lebrecht et al.
D388,688 S 1/1998 Yang
5,765,409 A * 6/1998 Yang 70/28
D406,043 S 2/1999 LeClaire
D407,294 S * 3/1999 Chen D8/334
D407,625 S 4/1999 Yang

(57) **CLAIM**

The ornamental design for a lock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the design of the present invention;
FIG. 2 is a front view of the lock shown in FIG. 1;
FIG. 3 is a side view of the lock shown in FIG. 1;
FIG. 4 is a top view of the lock shown in FIG. 1;
FIG. 5 is a back view of the lock shown in FIG. 1;
FIG. 6 is a side view of the lock shown in FIG. 1; and,
FIG. 7 is a bottom view of the lock shown in FIG. 1.
The portions of the Figures shown in phantom lines are not part of the claimed design but are for illustration only.

1 Claim, 2 Drawing Sheets




FIG. 1





FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7