



US00D516498S

(12) **United States Design Patent**  
**Eskandry**

(10) **Patent No.:** **US D516,498 S**  
(45) **Date of Patent:** **\*\* Mar. 7, 2006**

(54) **VISOR ACCESSORY HOLDER WITH DRY ERASE BOARD**

(76) **Inventor:** **Ezra D. Eskandry**, 3802 NE. 207<sup>th</sup> St., TH-5, Aventura, FL (US) 33180

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/235,481**

(22) **Filed:** **Aug. 2, 2005**

(51) **LOC (8) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/417**

(58) **Field of Classification Search** ..... D12/417,  
D12/191; D19/33; D6/620-635; D3/215,  
D3/226, 247-249, 252-253, 301, 290, 299;  
224/311-312, 275, 901, 929; 296/97.5-97.8,  
296/97.11

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D325,554 S	*	4/1992	Min-Jenn	.....	D12/417
D353,356 S	*	12/1994	Tong	.....	D12/191
5,379,929 A		1/1995	Eskandry	.....	224/312
D365,074 S	*	12/1995	Tong	.....	D12/191
5,516,018 A		5/1996	Eskandry	.....	224/312
5,653,364 A		8/1997	Eskandry	.....	224/312
D391,919 S	*	3/1998	Brassard	.....	D12/417
D395,637 S	*	6/1998	Patterson	.....	D12/417
D397,073 S	*	8/1998	Kui	.....	D12/191
D430,205 S		8/2000	Eskandry	.....	D19/33
D430,397 S		9/2000	Eskandry	.....	D3/290
D432,981 S	*	10/2000	Eskandry	.....	D12/417
D433,064 S		10/2000	Eskandry	.....	D19/78
D433,444 S		11/2000	Eskandry	.....	D19/27
D434,366 S		11/2000	Eskandry	.....	D12/417
D434,368 S		11/2000	Eskandry	.....	D12/417
D434,803 S		12/2000	Eskandry	.....	D19/78

D434,901 S		12/2000	Eskandry	.....	D3/284
D435,511 S		12/2000	Eskandry	.....	D12/417
D436,916 S		1/2001	Eskandry	.....	D12/417
6,186,321 B1		2/2001	Eskandry	.....	206/308.1
D444,749 S		7/2001	Eskandry	.....	D12/191
D446,765 S	*	8/2001	Bergh et al.	.....	D12/417
D472,512 S	*	4/2003	Palmer	.....	D12/417
D474,732 S	*	5/2003	Hillman	.....	D12/417
D505,911 S	*	6/2005	Huang	.....	D12/417

\* cited by examiner

*Primary Examiner*—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Robert C. Kain, Jr.; Fleit Kain

(57) **CLAIM**

The ornamental design for a visor accessory holder with dry erase board, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a visor accessory holder with dry erase board.

FIG. 2 is a rear view of the visor accessory holder with dry erase board.

FIG. 3 is a right side view of the visor accessory holder with dry erase board.


FIG. 4 is a left side view of the visor accessory holder with dry erase board.

FIG. 5 is a top view of the visor accessory holder with dry erase board; and,

FIG. 6 is a bottom view of the visor accessory holder with dry erase board.

The cross hatched shading shown in FIGS. 1-6 is understood to cover the surface on which it is applied. The dashed lines shown on the visor accessory holder in FIGS. 1 and 2 are understood to represent stitching.

**1 Claim, 3 Drawing Sheets**






FIG. 1



FIG. 3




FIG. 2



FIG. 4




FIG. 5




FIG. 6