

US00D516749S

(12) **United States Design Patent**
Haquin

(10) **Patent No.:** **US D516,749 S**
(45) **Date of Patent:** **** Mar. 7, 2006**

(54) **TWEEZERS**

(75) **Inventor:** **Jean-Claude Haquin, Is-en-Bassigny (FR)**

(73) **Assignee:** **J.C.H. International, SARL, Is-en-Bassigny (FR)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/214,987**

(22) **Filed:** **Oct. 12, 2004**

(30) **Foreign Application Priority Data**

Apr. 15, 2004 (FR) 04 1883

(51) **LOC (8) Cl.** **28-03**

(52) **U.S. Cl.** **D28/55**

(58) **Field of Classification Search** D28/55;
D24/143; 606/210, 211; 294/99.2

See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

836,299 A	*	11/1906	Burgin	294/99.2
1,004,871 A	*	10/1911	Gundorph	294/99.2
5,047,049 A	*	9/1991	Salai	294/99.2
D479,365 S	*	9/2003	Todeschini	D28/55
D483,909 S	*	12/2003	Todeschini	D28/55
2004/0145201 A1	*	7/2004	Cho	294/99.2

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Gary M. Cohen




(57) **CLAIM**

I claim the ornamental design for a tweezers, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the tweezers of my new design, shown with the tips in an opened position;
 FIG. 2 is a side view thereof;
 FIG. 3 is a rear end view thereof;
 FIG. 4 is an end view thereof, viewed from the tips; and
 FIG. 5 is a plan view thereof;
 FIG. 6 is a side view of the tweezers of my new design, shown with the tips in a closed position;
 FIG. 7 is a rear end view thereof;
 FIG. 8 is an end view thereof, viewed from the tips; and
 FIG. 9 is a plan view thereof;
 FIG. 10 is a side view of the tweezers of my new design, shown with alternative embodiment tips in an opened position;
 FIG. 11 is a rear end view thereof;
 FIG. 12 is an end view thereof, viewed from the tips;
 FIG. 13 is a plan view thereof;
 FIG. 14 is an opposing side view thereof; and
 FIG. 15 is an opposing plan view thereof;
 FIG. 16 is a side view of the tweezers of my new design, shown with the alternative embodiment tips in a closed position;
 FIG. 17 is a rear end view thereof;
 FIG. 18 is an end view thereof, viewed from the tips;
 FIG. 19 is a plan view thereof;
 FIG. 20 is an opposing side view thereof; and,
 FIG. 21 is an opposing plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1

FIG. 4




FIG. 2




FIG. 3




FIG. 5




FIG. 8



FIG. 6




FIG. 7



FIG. 9




FIG. 15



FIG. 11




FIG. 10




FIG. 12




FIG. 13




FIG. 14




FIG. 21




FIG. 16




FIG. 18



FIG. 19




FIG. 20




FIG. 17

