



US00D516768S

(12) **United States Design Patent**  
**Walker**

(10) **Patent No.:** **US D516,768 S**  
(45) **Date of Patent:** **\*\* Mar. 7, 2006**

- (54) **SAFE**
- (76) **Inventor:** **James Walker**, 2224 Wellesley Ave.,  
Los Angeles, CA (US) 90064
- (\*\*) **Term:** **14 Years**
- (21) **Appl. No.:** **29/215,236**
- (22) **Filed:** **Oct. 16, 2004**
- (51) **LOC (8) Cl.** ..... **99-00**
- (52) **U.S. Cl.** ..... **D99/28; D99/35**
- (58) **Field of Classification Search** ..... **D99/28,**  
**D99/34, 35; D6/432, 444, 448, 509, 510,**  
**D6/559; 232/43.2, 43.3; 109/35, 45, 51, 64,**  
**109/73, 39; 220/3.3; 70/158, 159, 146, 160-164;**  
**190/19**  
See application file for complete search history.

5,608,609 A	3/1997	Morrell	
5,667,288 A	9/1997	Kang	
5,769,006 A *	6/1998	Allaer .....	109/73
5,890,439 A	4/1999	McGunn	
D409,352 S *	5/1999	Nolte et al. ....	D99/28
D412,797 S *	8/1999	Sadler .....	D6/448
6,042,207 A	3/2000	Crosby	
6,089,685 A	7/2000	Ryan	
6,158,833 A	12/2000	Engler	
6,164,219 A	12/2000	Green	
D471,377 S *	3/2003	Gledhill et al. ....	D6/432
6,621,707 B1	9/2003	Ishimine	
D485,041 S *	1/2004	Paris et al. ....	D99/28

**FOREIGN PATENT DOCUMENTS**

GB 2066869 A 9/1979

\* cited by examiner

*Primary Examiner*—Paula A. Greene  
(74) *Attorney, Agent, or Firm*—Michael Zarrabian

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

342,003 A	5/1886	Gross	
928,483 A	7/1909	Wakeman	
1,054,325 A	2/1913	Wege	
1,747,836 A	2/1930	Meilink	
2,345,792 A	4/1944	Cann	
3,315,622 A	4/1967	Cornaro	
3,559,594 A	2/1971	Miller	
3,866,961 A	2/1975	List	
D247,728 S *	4/1978	Nichols .....	D6/559
D255,001 S *	5/1980	Quitman .....	D6/559
4,391,204 A *	7/1983	Mitchell et al. ....	109/39
D274,858 S *	7/1984	Brush et al. ....	D99/28
4,474,116 A	10/1984	Castenada	
4,495,780 A	1/1985	Kaneko	
D280,876 S *	10/1985	Chabanet .....	D6/559
4,704,970 A	11/1987	Sanderson	
4,953,683 A *	9/1990	Eisermann .....	194/235
D327,793 S *	7/1992	McGrory .....	D6/448
5,160,357 A	11/1992	Faber	
5,405,196 A	4/1995	Shoup	


(57) **CLAIM**


The ornamental design for a safe, as shown and described.

**DESCRIPTION**


FIG. 1 is a front perspective view of a safe showing my new design;  
 FIG. 2 is a front elevational view of the safe of FIG. 1 illustrating the safe door with a drop slot above a mirror of the safe door;  
 FIG. 3 is a side elevational view of the safe of FIG. 1 illustrating a recharging port hole and door hinges;  
 FIG. 4 shows a second side view of the safe of FIG. 1;  
 FIG. 5 shows a top view of the safe of FIG. 1;  
 FIG. 6 shows a bottom view of the safe of FIG. 1; and,  
 FIG. 7 is a rear elevational view of the safe of FIG. 1 illustrating a plate with holes for attaching the safe to a supporting surface.

**1 Claim, 4 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*