



US00D516799S

(12) **United States Design Patent**  
**Gordon**

(10) **Patent No.:** **US D516,799 S**  
(45) **Date of Patent:** **\*\* Mar. 14, 2006**

(54) **SELF-STANDING WALKING STICK WITH LIGHT BASE**

(76) Inventor: **Jerry E. Gordon**, 11706 Clocktower, Laurel, MD (US) 20708

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/224,630**

(22) Filed: **Mar. 4, 2005**

(51) **LOC (8) Cl.** ..... **03-03**

(52) **U.S. Cl.** ..... **D3/6**

(58) **Field of Classification Search** ..... 135/65, 135/68, 72, 74, 75, 77, 80, 910, 911; D8/300, D8/303; 362/101, 102; D3/5-17

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,173,624	A	*	9/1939	Dyer	.....	362/102
2,597,172	A	*	5/1952	Parker	.....	362/102
2,642,519	A	*	6/1953	Caustin et al.	.....	362/577
3,336,469	A	*	8/1967	Barnes, Sr. et al.	.....	362/102
4,062,371	A	*	12/1977	Bolen	.....	135/66
4,099,535	A	*	7/1978	Hubachek	.....	135/66
4,236,544	A		12/1980	Osaka		
D278,387	S	*	4/1985	Bixler	.....	D3/7
4,562,850	A	*	1/1986	Earley et al.	.....	135/66
D285,715	S	*	9/1986	Brantingham	.....	D21/422
4,625,742	A	*	12/1986	Phillips	.....	135/66
4,899,771	A	*	2/1990	Wilkinson	.....	135/77
5,167,746	A	*	12/1992	Sheenan	.....	156/293

5,197,501	A		3/1993	Ragatz		
D338,553	S		8/1993	Flemming		
D345,855	S		4/1994	Greenway		
5,351,704	A		10/1994	Hunnicut, Jr. et al.		
5,588,735	A		12/1996	Harada		
D378,551	S	*	3/1997	Shelnutt	.....	D3/17
5,967,638	A	*	10/1999	Gorman et al.	.....	362/84
5,992,434	A	*	11/1999	Berlin et al.	.....	135/77
6,131,593	A	*	10/2000	Greene et al.	.....	135/77
6,145,993	A	*	11/2000	Filippino	.....	362/102
6,394,116	B1		5/2002	Winn et al.		

\* cited by examiner

*Primary Examiner*—Sandra S. Snapp

(74) *Attorney, Agent, or Firm*—McKee, Voorhees & Sease, P.L.C.


(57) **CLAIM**


I claim the ornamental design for a self-standing walking stick with light base, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the self-standing walking stick with the lighted base of the present invention. FIG. 2 is a top plan view of the walking stick. FIG. 3 is a right side elevation view of the walking stick. FIG. 4 is a front elevation view of the walking stick. FIG. 5 is a left side elevation view of the walking stick. FIG. 6 is a rear elevation view of the walking stick; and, FIG. 7 is a bottom plan view of the walking stick. The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*