



US00D516953S

(12) **United States Design Patent**  
**Hollingworth et al.**

(10) **Patent No.: US D516,953 S**  
(45) **Date of Patent: \*\* Mar. 14, 2006**

(54) **STUD FASTENER COMPONENT**

D350,501 S \* 9/1994 Schriever ..... D11/220  
D477,246 S \* 7/2003 Takeda ..... D11/220

(76) Inventors: **Keith G. Hollingworth**, 76 Arcadia Rd., Galston NSW 2159 (AU); **Stuart L. Hollingworth**, 27 Stewart Ave., Hornsby NSW 2077 (AU)

\* cited by examiner

*Primary Examiner*—Catherine R. Oliver  
(74) *Attorney, Agent, or Firm*—Sheridan Ross P.C.

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/217,017**

The ornamental design for a stud fastener component, as shown and described.

(22) Filed: **Nov. 10, 2004**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

May 20, 2004 (AU) ..... 1906/04

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/220**

(58) **Field of Classification Search** ..... D11/220,  
D11/200–231; D24/303, 693, 662–681, 688;  
24/695; D8/382; 2/311, 338, 919–920  
See application file for complete search history.


FIG. 1 is a top perspective view of a stud fastener component;  
FIG. 2 is a bottom perspective view of the invention illustrated in FIG. 1;  
FIG. 3 is a top plan view of the invention illustrated in FIG. 1;  
FIG. 4 is a bottom plan view of the invention illustrated in FIG. 1;  
FIG. 5 is a front elevation view of the invention illustrated in FIG. 1, wherein the other side elevation views are the same; and,  
FIG. 6 is a cross-sectional view of the invention illustrated in FIG. 1.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,083,430 A \* 4/1963 Shears ..... 24/662  
D301,567 S \* 6/1989 Burke ..... D11/220  
D337,967 S \* 8/1993 Wright ..... D11/222

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6