



US00D517204S

(12) **United States Design Patent**  
**Dodo et al.**

(10) **Patent No.: US D517,204 S**  
(45) **Date of Patent: \*\* Mar. 14, 2006**

(54) **HEATING EXTERNAL APPLICATION MATERIAL**

(75) Inventors: **Toshihiro Dodo**, Tochigi (JP); **Hisao Kimura**, Tochigi (JP); **Michio Aida**, Tochigi (JP)

(73) Assignee: **Mycoal Products Corporation**, Tochigi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/212,484**

(22) Filed: **Sep. 2, 2004**

(30) **Foreign Application Priority Data**

Mar. 3, 2004 (JP) ..... 2004-006538

(51) **LOC (8) Cl.** ..... **23-03**

(52) **U.S. Cl.** ..... **D23/415**

(58) **Field of Classification Search** ..... D23/403-406, D23/409-410, 415-419, 499, 396-402, 343-347, D23/350; D25/55, 59, 60; D7/332-335, 339-340, D7/347-349, 653, 323, 331, 362-363, 367; D8/DIG. 4; 126/500, 540, 543-544, 547; 52/36.3; 16/DIG. 11; 294/14; 219/458.1, 219/460.1, 462.1, 463.1, 464.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D26,525 S \* 1/1897 Nason ..... D23/397  
1,614,434 A \* 1/1927 Reichart ..... 219/539

D74,663 S \* 3/1928 Dahistrom ..... D23/415  
1,740,658 A \* 12/1929 Kraupner ..... 219/249  
1,998,330 A \* 4/1935 Nicholson et al. .... 219/453.14  
2,026,797 A \* 1/1936 Pierson ..... 219/536  
D122,137 S \* 8/1940 Foster ..... D23/417  
2,247,229 A \* 6/1941 Foster ..... 219/541  
2,446,063 A \* 7/1948 Cameron ..... 219/457.1  
D251,176 S \* 2/1979 Lewis ..... D7/359  
D263,494 S \* 3/1982 Markum et al. .... D23/417  
D452,560 S \* 12/2001 Andersson et al. .... D23/417  
D452,561 S \* 12/2001 Andersson et al. .... D23/417

\* cited by examiner

*Primary Examiner*—Sandra S. Snapp

(74) *Attorney, Agent, or Firm*—Armstrong, Kratz, Quintos, Hanson & Brooks, LLP

(57) **CLAIM**


The ornamental design for a heating external application material, as shown and described.

**DESCRIPTION**


FIG. 1 is a front view of the heating external application material of the present invention;  
FIG. 2 is a plan view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a back view thereof;  
FIG. 6 is a bottom view thereof; and,  
FIG. 7 is a cross-sectional view thereof taken lone line 7—7 shown in FIG. 1.

The 12 elongated capsule shapes as shown in FIG. 1 are understood to represent heat generating bodies.


**1 Claim, 4 Drawing Sheets**




**Fig. 1**



**Fig. 2**




***Fig. 3***



***Fig. 4***



***Fig. 5***



***Fig. 6***



***Fig. 7***

