

US00D517247S

(12) **United States Design Patent**  
**Goodman**

(10) **Patent No.:** **US D517,247 S**  
(45) **Date of Patent:** **\*\* Mar. 14, 2006**

- (54) **SAFETY HARNESS**
- (75) **Inventor:** **Randy Goodman**, Lake Orion, MI (US)
- (73) **Assignee:** **American Escape Systems, Inc.**, Rochester Hills, MI (US)
- (\*\*) **Term:** **14 Years**
- (21) **Appl. No.:** **29/169,551**
- (22) **Filed:** **Oct. 23, 2002**
- (51) **LOC (8) Cl.** ..... **29-02**
- (52) **U.S. Cl.** ..... **D29/101.4**
- (58) **Field of Classification Search** ..... D29/100, D29/101.1-101.5, 122, 124; D2/829, 830; D21/804, 805; 182/3-6, 231-235, 71-73; 2/462-464, 467, 102; 441/106, 110, 111, 441/112, 114-118; D8/358  
See application file for complete search history.

4,877,110 A	*	10/1989	Wolner	.....	182/232
4,934,484 A	*	6/1990	Green et al.	.....	182/5
5,174,410 A	*	12/1992	Casebolt	.....	182/3
5,220,976 A	*	6/1993	Gunter	.....	182/3
5,295,765 A	*	3/1994	Choi	.....	405/186
D354,393 S	*	1/1995	Mocca	.....	D29/101.3
5,398,340 A	*	3/1995	Kibbee	.....	2/2.5
6,128,782 A	*	10/2000	Young et al.	.....	2/69
6,367,582 B1	*	4/2002	Derby	.....	182/3
6,745,872 B1	*	6/2004	Sato	.....	182/238
6,808,046 B1	*	10/2004	Henson	.....	182/3

\* cited by examiner

*Primary Examiner*—Lucy Lieberman  
(74) *Attorney, Agent, or Firm*—Alex Rhodes

(57) **CLAIM**

The ornamental design for a safety harness, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view showing the front and left side of a safety harness showing my new design; and, FIG. 2 is a perspective view showing the rear and right side of the safety harness.

The broken lines shown on the safety harness in FIG. 1 represent stitching.

**1 Claim, 2 Drawing Sheets**

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**

1,065,385 A	*	6/1913	Bailey	.....	441/115
3,424,134 A	*	1/1969	Rosenblum	.....	182/3
3,701,395 A	*	10/1972	Theobald	.....	182/3
4,130,176 A	*	12/1978	Paulie	.....	182/4







Fig. 1



**Fig. 2**