



US00D517269S

(12) **United States Design Patent**  
**Walker**

(10) **Patent No.:** **US D517,269 S**  
(45) **Date of Patent:** **\*\* Mar. 14, 2006**

- (54) **SAFE**
- (76) **Inventor:** **James Walker**, 2224 Wellesley Ave.,  
Los Angeles, CA (US) 90064
- (\*\*) **Term:** **14 Years**
- (21) **Appl. No.:** **29/215,235**
- (22) **Filed:** **Oct. 16, 2004**
- (51) **LOC (8) Cl.** ..... **99-00**
- (52) **U.S. Cl.** ..... **D99/28**
- (58) **Field of Classification Search** ..... D99/28,  
D99/34, 35; D6/432, 449, 448, 509, 510,  
D6/559; 232/43.2, 43.3; 109/35, 45, 51, 64,  
109/73, 39; 220/3.3; 70/158, 159, 416, 160-164;  
190/19

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

342,003 A	5/1886	Gross	
928,483 A	7/1909	Wakeman	
1,054,325 A	2/1913	Wege	
1,747,836 A	2/1930	Meilink	
2,345,792 A	4/1944	Harry	
3,315,622 A	5/1965	Cornaro	
3,559,594 A	2/1971	Miller	
3,566,961 A	2/1975	List	
D247,728 S	* 4/1978	Nichols	..... D6/559
D255,001 S	* 5/1980	Quitman	..... D6/559
4,391,204 A	* 7/1983	Mitchell et al.	..... 109/39
D274,858 S	* 7/1984	Brush et al.	..... D99/28
4,474,116 A	10/1984	Castenada et al.	
4,495,780 A	1/1985	Kaneko et al.	
D280,876 S	* 10/1985	Chabanet	..... D6/559
4,704,970 A	11/1987	Sanderson et al.	
4,953,683 A	* 9/1990	Eisermann	..... 194/235
D327,793 S	* 7/1992	McGrory	..... D6/448
5,160,357 A	11/1992	Faber	
5,405,196 A	4/1995	Shoup et al.	
5,608,609 A	3/1997	Morrell	

5,667,288 A	9/1997	Kang	
5,769,006 A	* 6/1998	Allaer	..... 109/73
5,890,439 A	4/1999	McGunn	
D409,352 S	* 5/1999	Nolte et al.	..... D99/28
D412,797 S	* 8/1999	Sadler	..... D6/448
6,042,207 A	3/2000	Crosby et al.	
6,089,685 A	7/2000	Ryan et al.	
6,158,833 A	12/2000	Engler	
6,164,219 A	12/2000	Green	
D471,377 S	* 3/2003	Gledhill et al.	..... D6/432
6,621,707 B1	9/2003	Ishimine	
D485,041 S	* 1/2004	Paris et al.	..... D99/28

**OTHER PUBLICATIONS**

U.S. Patent application publication No. 20020062767, published May 30, 2002, Walker (App. No. 09/727,640).

\* cited by examiner

*Primary Examiner*—Paula A. Greene

(74) *Attorney, Agent, or Firm*—Michael Zarrabian

(57) **CLAIM**

The ornamental design for a safe, as shown and described.

**DESCRIPTION**

FIG. 1 shows a perspective view of a safe having a recharging port hole, a drop slot, a corkboard and a mirror, according to the present invention;

FIG. 2 shows a front view of the safe of FIG. 1 illustrating the safe door with the drop slot above the corkboard and the mirror on the safe door;

FIG. 3 shows a first side view of the safe of FIG. 1 illustrating the recharging port hole and door hinges;


FIG. 4 shows a second side view of the safe of FIG. 1;


FIG. 5 shows a top view of the safe of FIG. 1;

FIG. 6 shows a bottom view of the safe of FIG. 1; and,


FIG. 7 shows a back view of the safe of FIG. 1, illustrating an optional plate with holes for attaching the safe to a supporting surface.

**1 Claim, 4 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*