



US00D517343S

(12) **United States Design Patent**  
**Hayes**

(10) **Patent No.:** **US D517,343 S**  
(45) **Date of Patent:** **\*\* Mar. 21, 2006**

(54) **SUPPORT STAND**

(75) Inventor: **Philip Michael Hayes**, Wichita, KS  
(US)

(73) Assignee: **The Hayes Company, Inc.**, Valley  
Center, KS (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/210,343**

(22) Filed: **Jul. 29, 2004**

(51) **LOC (8) Cl.** ..... **11-02**

(52) **U.S. Cl.** ..... **D6/403**

(58) **Field of Classification Search** ..... D11/143,  
D11/144, 152, 164; D6/329, 403-405, 417,  
D6/537, 548, 552, 556, 558; D7/300.2; D8/16,  
D8/366, 367, 370; D26/138; 47/32.7, 39,  
47/41.01, 41.14, 44-47, 67, 70; 211/60.1,  
211/85.23, 85.31, 125, 171, 196; 248/27.8,  
248/121, 125.8, 153, 156, 175, 302-304,  
248/318, 339, 530

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,661,719 A \* 12/1953 Scheidt et al. .... 248/156
- 2,701,700 A \* 2/1955 Williamson ..... 248/156
- 3,198,465 A \* 8/1965 Sutton ..... 248/156
- 3,952,878 A \* 4/1976 Gorham ..... 248/156
- 5,487,476 A \* 1/1996 Barfield ..... 211/85.23
- D376,443 S \* 12/1996 Porter ..... D26/138

- D379,037 S \* 5/1997 Moran, III ..... D6/405
- D392,141 S \* 3/1998 Cavanaugh ..... D6/556
- D392,853 S \* 3/1998 Hardison ..... D6/403
- 5,873,195 A \* 2/1999 Wortham ..... 47/39
- 6,035,576 A \* 3/2000 Bozeman ..... 47/47
- D447,358 S \* 9/2001 Caverio ..... D6/403
- 6,334,596 B1 \* 1/2002 Temple ..... 248/156
- D470,036 S \* 2/2003 Rehmert et al. .... D8/367
- 6,588,723 B1 \* 7/2003 Moran, III ..... 248/530
- D480,229 S \* 10/2003 Humphrey ..... D6/403
- D502,427 S \* 3/2005 Gais ..... D11/164
- 2003/0173474 A1 \* 9/2003 Taylor ..... 248/156

\* cited by examiner

*Primary Examiner*—Caron D. Veynar  
*Assistant Examiner*—Garth Rademaker

(57) **CLAIM**

I claim the ornamental design for a support stand, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a support stand, showing my new design.

FIG. 2 is an enlarged view of the top and lower sections thereof, with the mid and bottom sections removed.

FIG. 3 is a side elevation view of the full support stand.

FIG. 4 is an opposite-side elevation view thereof.


FIG. 5 is a rear elevation view thereof.

FIG. 6 is a front elevation view thereof.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

**1 Claim, 5 Drawing Sheets**






FIG.1




FIG.2




FIG.3

FIG.4



FIG. 5



FIG. 6




FIG. 7




FIG. 8