

US00D517363S

(12) **United States Design Patent**
Goto

(10) **Patent No.:** **US D517,363 S**
(45) **Date of Patent:** **** Mar. 21, 2006**

(54) **CASE FOR DISC CARTRIDGES**

(75) Inventor: **Teiyu Goto**, Tokyo (JP)

(73) Assignee: **Sony Computer Entertainment Inc.**,
Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/213,847**

(22) Filed: **Sep. 24, 2004**

(30) **Foreign Application Priority Data**

Aug. 6, 2004 (JP) D2004-023774

(51) **LOC (8) Cl.** **06-04**

(52) **U.S. Cl.** **D6/629; D6/407; D6/632;**
D6/635

(58) **Field of Classification Search** D3/218,
D3/270; D6/407, 626-635; 206/18, 307.1,
206/308.1, 308.2, 308.3, 309, 310, 311, 312,
206/313, 445, 749; 312/9.1, 902, 9.9, 9.48,
312/9.55, 9.64, 9.47, 9.53, 328

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------------|---|---------|---------------|-------|-----------|
| D271,726 S | * | 12/1983 | Drake | | D6/631 |
| D324,337 S | * | 3/1992 | Brady | | D6/634 |
| 5,290,118 A | * | 3/1994 | Ozeki | | 402/79 |
| D378,333 S | | 3/1997 | Anderson | | |
| D411,071 S | * | 6/1999 | Cerda-Vicedo | | D6/632 |
| D433,461 S | * | 11/2000 | Goto | | D21/330 |
| D452,105 S | * | 12/2001 | Chan | | D6/635 |
| D455,312 S | * | 4/2002 | Myszka et al. | | D6/629 |
| D455,595 S | * | 4/2002 | Ikeda et al. | | D6/632 |
| D470,707 S | * | 2/2003 | Lopez Mas | | D6/634 |
| D474,935 S | | 5/2003 | Goto | | |
| D495,551 S | * | 9/2004 | Goto | | D6/631 |
| D501,209 S | * | 1/2005 | Goto | | D14/478 |
| D501,482 S | * | 2/2005 | Goto | | D14/478 |
| 2005/0092628 A1 | * | 5/2005 | Chang | | 206/308.1 |

* cited by examiner

Primary Examiner—Celia A. Murphy

(74) *Attorney, Agent, or Firm*—Rader Fishman & Grauer PLLC

(57) **CLAIM**

The ornamental design for a case for disc cartridges, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a case for disc cartridges showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevational view thereof;

FIG. 8 is a cross sectional view taken on line VIII—VIII of FIG. 7;

FIG. 9 is a cross-sectional view taken along line IX—IX of FIG. 7;

FIG. 10 is a cross-sectional view taken along line X—X of FIG. 7;

FIG. 11 is a cross-sectional view taken along line XI—XI of FIG. 7;

FIG. 12 is a cross-sectional view taken along line XII—XII'—XII"—XII''' of FIG. 7;

FIG. 13 is a cross-sectional view taken along line XIII—XIII'—XIII"—XIII''' of FIG. 7;

FIG. 14 is a cross-sectional view taken along line XIV—XIV'—XIV"—XIV'''—XIV''''—XIV''''' of FIG. 7;

FIG. 15 is an enlarged view taken on lines XV—XV and XV'—XV' of FIG. 7;

FIG. 16 is a front elevational view of the case for disc cartridges as seen in the closed position;

FIG. 17 is a right side elevational view of FIG. 16;

FIG. 18 is a top plan view of FIG. 16; and,

FIG. 19 is a cross-sectional view taken along line XIX—XIX of FIG. 16.

1 Claim, 10 Drawing Sheets





FIG. 1




FIG.2




FIG.3




FIG.4



FIG.5



FIG.6






FIG.8




FIG.9




FIG. 10




FIG. 11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19

