



US00D517517S

(12) **United States Design Patent**
Li et al.

(10) **Patent No.:** **US D517,517 S**
(45) **Date of Patent:** **** Mar. 21, 2006**

(54) **COMMUNICATION DEVICE**

(75) Inventors: **Chi Wai Li**, Ang Mo Kio (SG); **Bee Lay Khoo**, Johor Bahru (MY)

(73) Assignee: **Motorola Inc.**, Schaumburg, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/198,719**

(22) Filed: **Feb. 3, 2004**

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/138**

(58) **Field of Classification Search** D14/137,
D14/138, 147-148, 247-248, 144, 341-347;
379/433.01-433.13, 434; 455/550.1-90.3,
455/575.3, 566, 575.1; D21/517; 345/169
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D408,030 S	*	4/1999	Richards et al.	D14/138
D475,689 S	*	6/2003	Shimazu et al.	D14/138
D483,341 S	*	12/2003	Rausch et al.	D14/138
D483,342 S	*	12/2003	Lee et al.	D14/138
D486,809 S	*	2/2004	Hwang	D14/138
D487,439 S	*	3/2004	Arnholt et al.	D14/138
D489,344 S	*	5/2004	Lee et al.	D14/138
D490,065 S	*	5/2004	Shimazu et al.	D14/138
D494,946 S	*	8/2004	Rausch et al.	D14/138
D496,020 S	*	9/2004	Lee	D14/138
D496,347 S	*	9/2004	Choi et al.	D14/191
D499,390 S	*	12/2004	Cho	D14/138
D501,189 S	*	1/2005	Lodato et al.	D14/138
2001/0011029 A1	*	8/2001	Iwabuchi	455/566
2002/0016182 A1	*	2/2002	Kubo et al.	455/550
2002/0039914 A1	*	4/2002	Hama et al.	455/566
2002/0197965 A1	*	12/2002	Peng	455/90

2004/0192220 A1	*	9/2004	Huang et al.	455/74
2004/0204122 A1	*	10/2004	Opela et al.	455/565
2004/0214619 A1	*	10/2004	Chiang	455/575.3

FOREIGN PATENT DOCUMENTS

JP D1153260 * 9/2002

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Lawrence J. Chapa

(57) **CLAIM**

The ornamental design for a communication device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an ornamental design of a first embodiment of a communication device illustrating the communication device in a closed position.

FIG. 2 is a front view of the first embodiment.

FIG. 3 is a back view of the first embodiment.

FIG. 4 is a left side view of the first embodiment.

FIG. 5 is a right side view of the first embodiment.

FIG. 6 is a top view of the first embodiment.

FIG. 7 is a bottom view of the first embodiment.

FIG. 8 is a perspective view of a second embodiment of the communication device in a closed position.

FIG. 9 is a front view of the second embodiment.

FIG. 10 is a back view of the second embodiment.

FIG. 11 is a left side view of the second embodiment.


FIG. 12 is a right side view of the second embodiment.

FIG. 13 is a top view of the second embodiment; and,

FIG. 14 is a bottom view of the second embodiment.

The broken lines shown in FIGS. 8-14 are included for the purposes of illustrating environmental elements only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14