



US00D517711S

(12) **United States Design Patent**  
**Payne et al.**

(10) **Patent No.: US D517,711 S**  
(45) **Date of Patent: \*\* Mar. 21, 2006**

(54) **DUAL LIGHT SOURCE UNDERWATER LIGHT**

D370,276 S \* 5/1996 Davis ..... D26/37  
D391,653 S \* 3/1998 Ford et al. .... D26/37

(75) Inventors: **Thomas B. Payne**, Hays, KS (US);  
**Kenneth Smith**, Porum, OK (US)

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(73) Assignee: **Optronics, Inc.**, Muskogee, OK (US)

(74) *Attorney, Agent, or Firm*—Head, Johnson & Kachigian

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a dual light source underwater light, as shown and described.

(21) Appl. No.: **29/214,826**

**DESCRIPTION**

(22) Filed: **Oct. 8, 2004**

(51) **LOC (8) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/37**

(58) **Field of Classification Search** ..... D26/37-50;  
362/157, 158, 171-174, 183-208

See application file for complete search history.

FIG. 1 is a bottom view of a dual light source underwater light constructed in accordance with the present invention; FIG. 2 is a front view of a dual light source underwater light as shown in FIG. 1;

FIG. 3 is a top view of a dual light source underwater light, as shown in FIG. 1; and,

The rear view, right side view, and left side view are each identical to the front view, as shown in FIG. 2;

FIG. 4 is a perspective view and FIG. 5 is an alternate perspective view of the dual light source underwater light as shown in FIG. 1.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D313,194 S \* 12/1990 Francisco ..... D10/114  
D331,889 S \* 12/1992 Kaplan ..... D10/114  
D356,276 S \* 3/1995 Liu et al. .... D10/114  
D363,037 S \* 10/1995 Nevarez et al. .... D10/114

**1 Claim, 3 Drawing Sheets**




FIGURE 1




FIGURE 2





FIGURE 3






FIGURE 4




FIGURE 5