

US00D517714S

(12) **United States Design Patent** (10) **Patent No.:** **US D517,714 S**  
**Monroe et al.** (45) **Date of Patent:** **\*\* Mar. 21, 2006**

(54) **COMBINED MOTION DETECTOR AND  
FLOOD LIGHT**

(75) Inventors: **Tim Monroe**, Fairfield, CA (US); **John  
H. Wandrey**, Long Beach, CA (US)

(73) Assignee: **Cordelia Lighting Inc.**, Rancho  
Dominguez, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/189,826**

(22) Filed: **Sep. 11, 2003**

(51) **LOC (8) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/65**

(58) **Field of Classification Search** ..... D26/24,  
D26/61, 63, 65, 51; D10/106; 362/269, 285,  
362/287, 370, 372, 427, 418, 430  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D264,253 S	*	5/1982	Goldschmidt et al.	.....	D26/63
D323,405 S		1/1992	Kin		
5,211,473 A	*	5/1993	Gordin et al.	.....	362/297
D360,960 S	*	8/1995	Wedell et al.	.....	D26/63
5,649,761 A	*	7/1997	Sandell et al.	.....	362/276
5,651,606 A	*	7/1997	Krogman	.....	362/96
D392,406 S	*	3/1998	Morrow et al.	.....	D26/65
D399,327 S	*	10/1998	Lin	.....	D26/63
D408,938 S		4/1999	Miyatake		
D424,727 S	*	5/2000	Greubel	.....	D26/51
D424,731 S	*	5/2000	Landefeld	.....	D26/68
D434,165 S	*	11/2000	Hiller et al.	.....	D26/65
D438,998 S		3/2001	Finke et al.		

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Paul Y. Feng; Fulwider  
Patton LLP

(57) **CLAIM**

The ornamental design for a combined motion detector and  
flood light, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a first embodiment of  
our combined motion detector and flood light showing our  
new design;

FIG. 2 is a top plan view;

FIG. 3 is a bottom view;

FIG. 4 is a right side elevational view;

FIG. 5 is a left side elevational view;

FIG. 6 is an upper front perspective view;

FIG. 7 is a lower front perspective view;

FIG. 8 is an enlarged rear elevational view of the back plate,  
the motion detector and flood lights being omitted for  
illustrative purposes only;

FIG. 9 is a front elevational view of a second embodiment  
of our combined motion detector and flood light showing  
our new design;

FIG. 10 is a top plan view;

FIG. 11 is a bottom view;

FIG. 12 is a right side elevational view;

FIG. 13 is a left side elevational view;

FIG. 14 is an upper front perspective view;

FIG. 15 is a lower front perspective view;

FIG. 16 is an enlarged rear elevational view of the back  
plate, the motion detector and flood lights being omitted for  
illustrative purposes only;

FIG. 17 is a front elevational view of a third embodiment of  
our combined motion detector and flood light showing our  
new design;

FIG. 18 is a top plan view;

FIG. 19 is a bottom view;

FIG. 20 is a right side elevational view;



FIG. 21 is a left side elevational view;

FIG. 22 is an upper front perspective view;

FIG. 23 is a lower front perspective view; and,

FIG. 24 is an enlarged rear elevational view of the back  
plate, the motion detector and flood lights being omitted for  
illustrative purposes only.

**1 Claim, 24 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6





FIG. 7





**FIG. 8**




FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13






FIG. 14





FIG. 15



**FIG. 16**






FIG. 17




FIG. 18




FIG. 19






FIG. 20




FIG. 21




FIG. 22







FIG. 23





**FIG. 24**